

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU071219\
 Data File : VU033238.D
 Acq On : 12 Jul 2019 21:36
 Operator : JC/SP
 Sample : VIBLK41
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VIBLK41

Quant Time: Jul 13 01:54:30 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071219WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Jul 13 00:05:57 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.86	114	300777	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.07	117	296349	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.47	152	133598	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	105245	46.22	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	92.44%
7) Chloroethane-d5	1.67	69	92178	47.39	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	94.78%
11) 1,1-Dichloroethene-d2	2.26	63	140050	33.91	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	67.82%
21) 2-Butanone-d5	4.15	46	140559	97.43	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	97.43%
24) Chloroform-d	4.62	84	175053	45.88	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.76%
26) 1,2-Dichloroethane-d4	5.29	65	121045	49.46	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.92%
32) Benzene-d6	5.32	84	368896	50.74	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.48%
36) 1,2-Dichloropropane-d6	6.31	67	120023	51.54	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	103.08%
41) Toluene-d8	7.55	98	329300	48.03	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.06%
43) trans-1,3-Dichloropropene-	7.83	79	55166	48.31	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	96.62%
47) 2-Hexanone-d5	8.29	63	110758	105.50	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	105.50%
57) 1,1,2,2-Tetrachloroethane-	10.41	84	174387	49.48	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	98.96%
64) 1,2-Dichlorobenzene-d4	11.85	152	125117	52.51	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	105.02%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU071219\
Data File : VU033238.D
Acq On : 12 Jul 2019 21:36
Operator : JC/SP
Sample : VIBLK41
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 32 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VIBLK41

Quant Time: Jul 13 01:54:30 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071219WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Jul 13 00:05:57 2019
Response via : Initial Calibration

