

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU071318\
 Data File : VU025396.D
 Acq On : 13 Jul 2018 16:37
 Operator : MD/SY
 Sample : J3984-03
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB175

Quant Time: Jul 13 17:29:51 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM062918WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Jul 13 14:43:42 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	321765	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	291556	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	141075	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	85736	44.57	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	89.14%
7) Chloroethane-d5	1.68	69	69549	43.84	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	87.68%
11) 1,1-Dichloroethene-d2	2.27	63	132728	31.63	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	63.26%
21) 2-Butanone-d5	4.17	46	164839	102.53	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	102.53%
24) Chloroform-d	4.65	84	178686	43.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	86.74%
26) 1,2-Dichloroethane-d4	5.31	65	128602	44.02	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.04%
32) Benzene-d6	5.35	84	357869	44.74	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.48%
36) 1,2-Dichloropropane-d6	6.33	67	115945	45.50	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	91.00%
41) Toluene-d8	7.57	98	337658	43.14	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	86.28%
43) trans-1,3-Dichloropropene-	7.85	79	54267	42.48	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	84.96%
47) 2-Hexanone-d5	8.31	63	128718	110.69	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	110.69%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	164635	45.60	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	91.20%
64) 1,2-Dichlorobenzene-d4	11.86	152	141428	46.01	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.02%

Target Compounds


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
3) Chloromethane	1.33	50	6181	2.563	ug/L	97
5) Vinyl chloride	1.40	62	284574	114.036	ug/L	100
13) Acetone	2.32	43	10337	6.255	ug/L	98
14) Carbon disulfide	2.48	76	8779	1.473	ug/L	97
15) Methyl Acetate	2.61	43	10768	4.259	ug/L	96
17) trans-1,2-Dichloroethene	2.99	96	8891	4.161	ug/L	95
20) cis-1,2-Dichloroethene	4.23	96	213018	86.316	ug/L	96
22) 2-Butanone	4.27	43	3636	1.860	ug/L #	45
34) Trichloroethene	6.19	95	171019	72.708	ug/L	99
42) Toluene	7.64	91	18218	1.896	ug/L	92
46) Tetrachloroethene	8.23	164	24920	12.516	ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU071318\
Data File : VU025396.D
Acq On : 13 Jul 2018 16:37
Operator : MD/SY
Sample : J3984-03
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB175

Quant Time: Jul 13 17:29:51 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM062918WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Jul 13 14:43:42 2018
Response via : Initial Calibration





#3

Chloromethane

Concen: 2.563 ug/L

RT: 1.33 min Scan# 230

Delta R.T. 0.00 min

Lab File: VU025396.D

Acq: 13 Jul 2018 16:37

Instrument :

MSVOA_U

ClientSampleId :


DB175

Tot Ion: 50 Resp: 6181

Ion Ratio Lower Upper




50 100

52 31.2 23.1 42.9



Abundance Ion 50.00 (49.70 to 50.70): VU0

Ion 52.00 (51.70 to 52.70): VU0



#5

Vinyl chloride

Concen: 114.036 ug/L

RT: 1.40 min Scan# 253

Delta R.T. 0.00 min

Lab File: VU025396.D


Acq: 13 Jul 2018 16:37

Tgt Ion: 62 Resp: 284574

Ion Ratio Lower Upper



62 100


64 32.9 23.0 42.8



Abundance Ion 62.00 (61.70 to 62.70): VU0

Ion 64.00 (63.70 to 64.70): VU0





#13

Acetone

Concen: 6.255 ug/L

RT: 2.32 min Scan# 538

Delta R.T. 0.00 min

Lab File: VU025396.D

Acq: 13 Jul 2018 16:37

Instrument :

MSVOA_U

ClientSampleId :


DB175

Tot Ion: 43 Resp: 10337

Ion Ratio Lower Upper




43 100

58 30.8 0.0 59.4



Abundance Ion 43.00 (42.70 to 43.70): VU025383.D (-517) (-)

Ion 58.00 (57.70 to 58.70): VU025383.D (-517) (-)



#14

Carbon disulfide

Concen: 1.473 ug/L

RT: 2.48 min Scan# 589

Delta R.T. 0.00 min

Lab File: VU025396.D


Acq: 13 Jul 2018 16:37

Tgt Ion: 76 Resp: 8779

Ion Ratio Lower Upper



76 100


78 10.4 7.3 10.9



Abundance Ion 76.00 (75.70 to 76.70): VU025383.D (-575) (-)

Ion 78.00 (77.70 to 78.70): VU025383.D (-575) (-)





#15

Methyl Acetate

Concen: 4.259 ug/L

RT: 2.61 min Scan# 629

Delta R.T. -0.00 min

Lab File: VU025396.D

Acq: 13 Jul 2018 16:37

Instrument :

MSVOA_U

ClientSampleId :


DB175

Tot Ion: 43 Resp: 10768

Ion Ratio Lower Upper




43 100

74 25.0 18.6 28.0



Abundance Ion 43.00 (42.70 to 43.70): VU0

Ion 74.00 (73.70 to 74.70): VU0



#17

trans-1,2-Dichloroethene

Concen: 4.161 ug/L

RT: 2.99 min Scan# 745

Delta R.T. 0.00 min

Lab File: VU025396.D

Acq: 13 Jul 2018 16:37


Tgt Ion: 96 Resp: 8891

Ion Ratio Lower Upper

96 100

61 137.8 102.7 190.7



98 64.2 44.4 82.5




Abundance Ion 96.00 (95.70 to 96.70): VU0

Ion 61.00 (60.70 to 61.70): VU0

Ion 98.00 (97.70 to 98.70): VU0









#20
 cis-1,2-Dichloroethene
 Concen: 86.316 ug/L
 RT: 4.23 min Scan# 1132
 Delta R.T. 0.00 min
 Lab File: VU025396.D
 Acq: 13 Jul 2018 16:37




Instrument :
 MSVOA_U
 ClientSampleId :
 DB175


Tot Ion: 96 Resp: 213018
 Ion Ratio Lower Upper
 96 100
 61 128.2 93.4 173.6
 68 0.0 0.0 0.0



#22
 2-Butanone
 Concen: 1.860 ug/L
 RT: 4.27 min Scan# 1144
 Delta R.T. 0.01 min
 Lab File: VU025396.D
 Acq: 13 Jul 2018 16:37

Tgt Ion: 43 Resp: 3636
 Ion Ratio Lower Upper
 43 100
 72 56.0 13.7 41.0#









#34
 Trichloroethene
 Concen: 72.708 ug/L
 RT: 6.19 min Scan# 1741
 Delta R.T. 0.00 min
 Lab File: VU025396.D
 Acq: 13 Jul 2018 16:37

Instrument :
 MSVOA_U
 ClientSampleId :
 DB175

Tot Ion:	95	Resp:	171019
Ion	Ratio	Lower	Upper
95	100		
97	64.4	44.1	81.9
132	101.0	70.2	130.4
130	102.7	71.7	133.1




Abundance Ion 95.00 (94.70 to 95.70): VU0
 Ion 97.00 (96.70 to 97.70): VU0
 Ion 132.00 (131.70 to 132.70): V
 Ion 130.00 (129.70 to 130.70): V








#42
 Toluene
 Concen: 1.896 ug/L
 RT: 7.64 min Scan# 2193
 Delta R.T. 0.00 min
 Lab File: VU025396.D
 Acq: 13 Jul 2018 16:37

Tgt Ion:	91	Resp:	18218
Ion	Ratio	Lower	Upper
91	100		
92	51.9	40.7	75.5



Abundance Ion 91.00 (90.70 to 91.70): VU0
 Ion 92.00 (91.70 to 92.70): VU0





#46

Tetrachloroethene

Concen: 12.516 ug/L

RT: 8.23 min Scan# 2376

Delta R.T. 0.00 min

Lab File: VU025396.D

Acq: 13 Jul 2018 16:37

Instrument :

MSVOA_U

ClientSampleId :

DB175

Tot Ion:164 Resp: 24920

Ion Ratio Lower Upper

164 100

129 96.9 66.1 122.8

131 93.2 62.7 116.5

166 128.9 88.8 165.0

Abundance

Ion 164.00 (163.70 to 164.70): V

Ion 129.00 (128.70 to 129.70): V

Ion 131.00 (130.70 to 131.70): V

Ion 166.00 (165.70 to 166.70): V

