

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU071320\
 Data File : VU039471.D
 Acq On : 13 Jul 2020 15:34
 Operator : SY/MD
 Sample : L3261-10
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK01

Quant Time: Jul 14 07:38:01 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR070720WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Jul 14 07:08:13 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	91450	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	85863	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	39698	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	32363	6.11	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	122.20%
7) Chloroethane-d5	1.93	69	30887	5.70	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	114.00%
11) 1,1-Dichloroethene-d2	2.58	63	46118	4.42	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	88.40%
20) 2-Butanone-d5	4.66	46	120342	49.62	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	99.24%
24) Chloroform-d	5.09	84	60084	5.32	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	106.40%
26) 1,2-Dichloroethane-d4	5.72	65	38257	5.40	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	108.00%
32) Benzene-d6	5.75	84	120712	5.84	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	116.80%
36) 1,2-Dichloropropane-d6	6.71	67	41368	5.70	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	114.00%
41) Toluene-d8	7.91	98	109737	6.12	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	122.40%
43) trans-1,3-Dichloropropene-	8.19	79	17346	5.41	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	108.20%
46) 2-Hexanone-d5	8.64	63	86845	45.65	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	91.30%
57) 1,1,2,2-Tetrachloroethane-	10.76	84	34750	4.83	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	96.60%
64) 1,2-Dichlorobenzene-d4	12.19	152	40787	5.76	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	115.20%


Target Compounds					Ovalue
16) Methylene chloride	3.06	84	1928	0.282 ug/L	88




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU071320\
Data File : VU039471.D
Acq On : 13 Jul 2020 15:34
Operator : SY/MD
Sample : L3261-10
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK01

Quant Time: Jul 14 07:38:01 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR070720WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Jul 14 07:08:13 2020
Response via : Initial Calibration





#16
Methylene chloride
Concen: 0.282 ug/L
RT: 3.06 min Scan# 536
Delta R.T. 0.00 min
Lab File: VU039471.D
Acq: 13 Jul 2020 15:34

Instrument :
MSVOA_U
ClientSampleId :
VHBLK01

Tot Ion: 84 Resp: 1928

Ion	Ratio	Lower	Upper
84	100		
86	51.4	43.5	80.9
49	117.5	91.1	169.1

