

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU071519\
 Data File : VU033246.D
 Acq On : 15 Jul 2019 10:15
 Operator : JC/SP
 Sample : K3760-05
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB8X4

Quant Time: Jul 16 02:02:11 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071219WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jul 16 01:46:18 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.86	114	280145	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.07	117	275985	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.47	152	123642	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	105536	49.76	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	99.52%
7) Chloroethane-d5	1.67	69	93896	51.83	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	103.66%
11) 1,1-Dichloroethene-d2	2.26	63	139201	36.19	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	72.38%
21) 2-Butanone-d5	4.15	46	128913	95.94	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	95.94%
24) Chloroform-d	4.62	84	176261	49.60	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.20%
26) 1,2-Dichloroethane-d4	5.29	65	118518	51.99	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.98%
32) Benzene-d6	5.32	84	368297	54.40	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	108.80%
36) 1,2-Dichloropropane-d6	6.31	67	115959	53.47	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	106.94%
41) Toluene-d8	7.55	98	321200	50.31	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.62%
43) trans-1,3-Dichloropropene-	7.83	79	53486	50.29	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	100.58%
47) 2-Hexanone-d5	8.29	63	101905	104.23	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	104.23%
57) 1,1,2,2-Tetrachloroethane-	10.41	84	169745	51.71	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	103.42%
64) 1,2-Dichlorobenzene-d4	11.85	152	122514	55.56	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	111.12%


Target Compounds					Ovalue
13) Acetone	2.31	43	21358	12.722 ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU071519\
Data File : VU033246.D
Acq On : 15 Jul 2019 10:15
Operator : JC/SP
Sample : K3760-05
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB8X4

Quant Time: Jul 16 02:02:11 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071219WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Jul 16 01:46:18 2019
Response via : Initial Calibration





#13

Acetone

Concen: 12.722 ug/L

RT: 2.31 min Scan# 378

Delta R.T. 0.00 min

Lab File: VU033246.D

Acq: 15 Jul 2019 10:15

Instrument :
MSVOA_U
ClientSampleId :
DB8X4

Tot Ion: 43 Resp: 21358

Ion Ratio Lower Upper

43 100

58 34.7 0.0 65.4

