

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU071524\
 Data File : VU059959.D
 Acq On : 15 Jul 2024 18:19
 Operator : MD/SY
 Sample : P3230-04ME 100X
 Misc : 5.33g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BHB35ME

Quant Time: Jul 16 05:51:21 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM070224WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jul 16 05:46:09 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	209535	50.000	ug/L	0.00
28) Chlorobenzene-d5	9.415	117	223249	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.811	152	95370	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	48726	36.218	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	72.440%		
7) Chloroethane-d5	1.898	69	43469	38.413	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	76.820%		
11) 1,1-Dichloroethene-d2	2.557	63	63301	26.485	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	52.960%#		
21) 2-Butanone-d5	4.618	46	101248	108.290	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	108.290%		
24) Chloroform-d	5.055	84	106919	41.039	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	82.080%		
26) 1,2-Dichloroethane-d4	5.695	65	66468	42.908	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	85.820%		
32) Benzene-d6	5.721	84	204375	35.750	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	71.500%		
36) 1,2-Dichloropropane-d6	6.685	67	70549	39.873	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	79.740%		
41) Toluene-d8	7.894	98	167364	30.785	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	61.580%#		
43) trans-1,3-Dichloroprop...	8.177	79	28432	34.341	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	68.680%		
47) 2-Hexanone-d5	8.631	63	67012	89.869	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	89.870%		
56) 1,1,2,2-Tetrachloroeth...	10.753	84	120216	44.267	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	88.540%		
66) 1,2-Dichlorobenzene-d4	12.190	152	70078	39.987	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	79.980%#		
Target Compounds						Qvalue
34) Trichloroethene	6.544	95	4987	3.100	ug/L	97
46) Tetrachloroethene	8.550	164	231175	174.674	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU071524\
Data File : VU059959.D
Acq On : 15 Jul 2024 18:19
Operator : MD/SY
Sample : P3230-04ME 100X
Misc : 5.33g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 26 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BHB35ME

Quant Time: Jul 16 05:51:21 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM070224WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Jul 16 05:46:09 2024
Response via : Initial Calibration

