

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU071618\
 Data File : VU025420.D
 Acq On : 16 Jul 2018 12:31
 Operator : MD/SY
 Sample : VU0716WBL01
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK41

Quant Time: Jul 17 02:27:20 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071618WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jul 17 02:25:49 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	366760	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	340783	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	153790	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	92676	46.99	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	93.98%
7) Chloroethane-d5	1.68	69	77958	48.14	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	96.28%
11) 1,1-Dichloroethene-d2	2.27	63	141228	33.14	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	66.28%
21) 2-Butanone-d5	4.18	46	188532	94.61	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	94.61%
24) Chloroform-d	4.65	84	212637	45.45	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.90%
26) 1,2-Dichloroethane-d4	5.31	65	151275	47.38	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.76%
32) Benzene-d6	5.35	84	412657	48.20	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.40%
36) 1,2-Dichloropropane-d6	6.34	67	137151	49.52	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.04%
41) Toluene-d8	7.57	98	400470	47.60	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.20%
43) trans-1,3-Dichloropropene-	7.85	79	64273	45.74	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	91.48%
47) 2-Hexanone-d5	8.31	63	150016	101.54	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	101.54%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	193875	45.60	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	91.20%
64) 1,2-Dichlorobenzene-d4	11.87	152	160575	49.97	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.94%


Target Compounds					Qvalue
3) Chloromethane	1.33	50	4821	1.404 ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU071618\
Data File : VU025420.D
Acq On : 16 Jul 2018 12:31
Operator : MD/SY
Sample : VU0716WBL01
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK41

Quant Time: Jul 17 02:27:20 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071618WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Jul 17 02:25:49 2018
Response via : Initial Calibration





#3
 Chloromethane
 Concen: 1.404 ug/L
 RT: 1.33 min Scan# 230
 Delta R.T. 0.00 min
 Lab File: VU025420.D
 Acq: 16 Jul 2018 12:31

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK41

Tgt Ion: 50 Resp: 4821
 Ion Ratio Lower Upper
 50 100
 52 31.3 23.5 43.7

