

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU071618\
 Data File : VU025437.D
 Acq On : 16 Jul 2018 20:32
 Operator : MD/SY
 Sample : J3984-02DL 10X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB173DL

Quant Time: Jul 17 09:03:24 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071618WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jul 17 02:54:19 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	340037	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	305466	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	135918	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	77511	42.39	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	84.78%
7) Chloroethane-d5	1.67	69	70228	46.78	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	93.56%
11) 1,1-Dichloroethene-d2	2.27	63	123660	31.30	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	62.60%
21) 2-Butanone-d5	4.18	46	179900	97.38	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	97.38%
24) Chloroform-d	4.65	84	192867	44.46	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.92%
26) 1,2-Dichloroethane-d4	5.31	65	137069	46.31	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.62%
32) Benzene-d6	5.35	84	371069	48.35	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.70%
36) 1,2-Dichloropropane-d6	6.33	67	123306	49.67	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.34%
41) Toluene-d8	7.57	98	342715	45.45	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.90%
43) trans-1,3-Dichloropropene-	7.85	79	53638	42.58	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	85.16%
47) 2-Hexanone-d5	8.31	63	135938	102.65	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	102.65%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	179486	47.09	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	94.18%
64) 1,2-Dichlorobenzene-d4	11.86	152	141700	49.90	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.80%

Target Compounds						Ovalue
20) cis-1,2-Dichloroethene	4.23	96	126822	48.61	ug/L	99
46) Tetrachloroethene	8.23	164	9501	4.82	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU071618\
Data File : VU025437.D
Acq On : 16 Jul 2018 20:32
Operator : MD/SY
Sample : J3984-02DL 10X
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB173DL

Quant Time: Jul 17 09:03:24 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071618WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Jul 17 02:54:19 2018
Response via : Initial Calibration

