

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU071618\
 Data File : VU025423.D
 Acq On : 16 Jul 2018 14:42
 Operator : MD/SY
 Sample : J3986-12
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB1C9

Quant Time: Jul 17 09:09:37 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071618WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jul 17 02:25:49 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	324367	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	295246	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	129372	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	84354	48.36	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	96.72%
7) Chloroethane-d5	1.68	69	68816	48.05	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	96.10%
11) 1,1-Dichloroethene-d2	2.27	63	125554	33.31	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	66.62%
21) 2-Butanone-d5	4.18	46	175068	99.34	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	99.34%
24) Chloroform-d	4.65	84	185632	44.86	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.72%
26) 1,2-Dichloroethane-d4	5.31	65	132009	46.75	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.50%
32) Benzene-d6	5.35	84	358137	48.28	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.56%
36) 1,2-Dichloropropane-d6	6.34	67	118779	49.50	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.00%
41) Toluene-d8	7.57	98	337198	46.26	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.52%
43) trans-1,3-Dichloropropene-	7.85	79	54024	44.38	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	88.76%
47) 2-Hexanone-d5	8.31	63	124068	96.93	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	96.93%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	170748	46.35	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	92.70%
64) 1,2-Dichlorobenzene-d4	11.87	152	133391	49.35	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.70%


Target Compounds					Ovalue
13) Acetone	2.32	43	5809	3.13 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU071618\
Data File : VU025423.D
Acq On : 16 Jul 2018 14:42
Operator : MD/SY
Sample : J3986-12
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB1C9

Quant Time: Jul 17 09:09:37 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071618WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Jul 17 02:25:49 2018
Response via : Initial Calibration





#13

Acetone

Concen: 3.13 ug/L

RT: 2.32 min Scan# 539

Delta R.T. 0.00 min

Lab File: VU025423.D

Acq: 16 Jul 2018 14:42


Instrument :
MSVOA_U
ClientSampleId :
DB1C9

Tot Ion: 43 Resp: 5809

Ion Ratio Lower Upper

43 100

58 26.5 0.0 58.4



Abundance Ion 43.00 (42.70 to 43.70): VU0
Ion 58.00 (57.70 to 58.70): VU0

