

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU071620\
 Data File : VU039529.D
 Acq On : 16 Jul 2020 17:14
 Operator : SY/MD
 Sample : L3292-10 20X
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFT86

Quant Time: Jul 17 02:53:36 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR070720WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Jul 17 01:06:47 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.27	114	92820	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	86927	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	40021	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	18923	3.52	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	70.40%
7) Chloroethane-d5	1.93	69	23737	4.31	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	86.20%
11) 1,1-Dichloroethene-d2	2.58	63	32062	3.03	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	60.60%
20) 2-Butanone-d5	4.66	46	104031	42.26	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	84.52%
24) Chloroform-d	5.08	84	49085	4.28	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	85.60%
26) 1,2-Dichloroethane-d4	5.72	65	32436	4.51	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	90.20%
32) Benzene-d6	5.75	84	95912	4.58	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	91.60%
36) 1,2-Dichloropropane-d6	6.71	67	33527	4.56	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	91.20%
41) Toluene-d8	7.91	98	82996	4.57	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	91.40%
43) trans-1,3-Dichloropropene-	8.19	79	12375	3.81	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	76.20%
46) 2-Hexanone-d5	8.64	63	72141	37.46	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	74.92%
57) 1,1,2,2-Tetrachloroethane-	10.76	84	29580	4.06	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	81.20%
64) 1,2-Dichlorobenzene-d4	12.19	152	32085	4.49	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	89.80%

Target Compounds


					Ovalue
16) Methylene chloride	3.07	84	3183	0.458 ug/L	89
25) Chloroform	5.11	83	3908	0.324 ug/L	95
34) Trichloroethene	6.56	95	1790	0.266 ug/L	89
47) Tetrachloroethene	8.56	164	3132	0.670 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU071620\
Data File : VU039529.D
Acq On : 16 Jul 2020 17:14
Operator : SY/MD
Sample : L3292-10 20X
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFT86

Quant Time: Jul 17 02:53:36 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR070720WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Jul 17 01:06:47 2020
Response via : Initial Calibration









#16
Methvlene chloride
Concen: 0.458 ug/L
RT: 3.07 min Scan# 537
Delta R.T. 0.01 min
Lab File: VU039529.D
Acq: 16 Jul 2020 17:14




Instrument :
MSVOA_U
ClientSampleId :
BFT86


Tot Ion: 84 Resp: 3183
Ion Ratio Lower Upper
84 100
86 58.7 43.5 80.9
49 145.8 91.1 169.1



#25
Chloroform
Concen: 0.324 ug/L
RT: 5.11 min Scan# 1174
Delta R.T. 0.01 min
Lab File: VU039529.D
Acq: 16 Jul 2020 17:14

Tgt Ion: 83 Resp: 3908
Ion Ratio Lower Upper
83 100
85 68.5 44.9 83.5





#34

Trichloroethene

Concen: 0.266 ug/L

RT: 6.56 min Scan# 1624

Delta R.T. 0.01 min

Lab File: VU039529.D

Acq: 16 Jul 2020 17:14

Instrument :

MSVOA_U

ClientSampleId :

BFT86

Tot Ion: 95 Resp: 1790


Ion Ratio Lower Upper

95 100

97 65.1 46.3 85.9

132 89.7 64.0 118.8

130 64.9 64.3 119.5






Abundance Ion 95.00 (94.70 to 95.70): VU0

Ion 96.95 (96.65 to 97.65): VU0

Ion 131.95 (131.65 to 132.65): V

Ion 129.95 (129.65 to 130.65): V



#47

Tetrachloroethene

Concen: 0.670 ug/L

RT: 8.56 min Scan# 2245

Delta R.T. -0.00 min

Lab File: VU039529.D

Acq: 16 Jul 2020 17:14

Tgt Ion: 164 Resp: 3132


Ion Ratio Lower Upper

164 100

129 101.5 68.6 127.4

131 92.7 66.4 123.4

166 131.3 85.9 159.5



Abundance Ion 163.90 (163.60 to 164.60): V

Ion 128.95 (128.65 to 129.65): V

Ion 130.95 (130.65 to 131.65): V

Ion 165.90 (165.60 to 166.60): V

