

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU071718\
 Data File : VU025467.D
 Acq On : 17 Jul 2018 19:47
 Operator : MD/SY
 Sample : J3937-15
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK01

Quant Time: Jul 18 06:47:48 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071718WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jul 18 06:47:36 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	347047	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	308351	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	145667	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	75462	46.11	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	92.22%
7) Chloroethane-d5	1.68	69	67646	48.52	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	97.04%
11) 1,1-Dichloroethene-d2	2.27	63	127336	35.43	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	70.86%
21) 2-Butanone-d5	4.18	46	174494	100.20	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	100.20%
24) Chloroform-d	4.65	84	198810	46.83	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.66%
26) 1,2-Dichloroethane-d4	5.31	65	140591	48.66	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.32%
32) Benzene-d6	5.35	84	374761	50.29	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.58%
36) 1,2-Dichloropropane-d6	6.34	67	126755	51.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	102.74%
41) Toluene-d8	7.57	98	353616	49.03	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.06%
43) trans-1,3-Dichloropropene-	7.85	79	62008	48.27	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	96.54%
47) 2-Hexanone-d5	8.31	63	126089	98.56	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	98.56%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	179347	48.95	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	97.90%
64) 1,2-Dichlorobenzene-d4	11.86	152	145638	49.89	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.78%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU071718\
Data File : VU025467.D
Acq On : 17 Jul 2018 19:47
Operator : MD/SY
Sample : J3937-15
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK01

Quant Time: Jul 18 06:47:48 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071718WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Jul 18 06:47:36 2018
Response via : Initial Calibration

