

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU071718\
 Data File : VU025468.D
 Acq On : 17 Jul 2018 20:10
 Operator : MD/SY
 Sample : J3920-07
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK02

Quant Time: Jul 18 06:47:52 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071718WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jul 18 06:47:36 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	338958	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	301961	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	141914	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	72993	45.66	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	91.32%
7) Chloroethane-d5	1.68	69	64751	47.55	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	95.10%
11) 1,1-Dichloroethene-d2	2.27	63	123589	35.21	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	70.42%
21) 2-Butanone-d5	4.18	46	169306	99.54	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	99.54%
24) Chloroform-d	4.65	84	191831	46.26	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.52%
26) 1,2-Dichloroethane-d4	5.31	65	138120	48.95	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.90%
32) Benzene-d6	5.35	84	366457	50.22	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.44%
36) 1,2-Dichloropropane-d6	6.34	67	124524	51.53	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	103.06%
41) Toluene-d8	7.57	98	340184	48.16	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.32%
43) trans-1,3-Dichloropropene-	7.85	79	58853	46.78	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	93.56%
47) 2-Hexanone-d5	8.31	63	121647	97.10	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	97.10%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	173566	48.38	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	96.76%
64) 1,2-Dichlorobenzene-d4	11.86	152	142259	50.02	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.04%


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
37) 1,2-Dichloropropane	6.34	63	14144	5.740	ug/L	# 88


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU071718\
Data File : VU025468.D
Acq On : 17 Jul 2018 20:10
Operator : MD/SY
Sample : J3920-07
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK02

Quant Time: Jul 18 06:47:52 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071718WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Jul 18 06:47:36 2018
Response via : Initial Calibration





#37

1,2-Dichloropropane

Concen: 5.740 ug/L

RT: 6.34 min Scan# 1787

Delta R.T. -0.10 min

Lab File: VU025468.D

Acq: 17 Jul 2018 20:10

Instrument :

MSVOA_U

ClientSampleId :

VHBLK02

Tgt Ion: 63 Resp: 14144

Ion Ratio Lower Upper

63 100

112 0.0 3.2 4.8#

