

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU071718\
 Data File : VU025473.D
 Acq On : 17 Jul 2018 22:06
 Operator : MD/SY
 Sample : J4024-03
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB1P2

Quant Time: Jul 18 07:09:27 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071718WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jul 18 06:47:36 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	336177	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	303508	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	141066	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	73888	46.61	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	93.22%
7) Chloroethane-d5	1.68	69	67032	49.63	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	99.26%
11) 1,1-Dichloroethene-d2	2.27	63	127358	36.59	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	73.18%
21) 2-Butanone-d5	4.18	46	153303	90.87	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	90.87%
24) Chloroform-d	4.65	84	195122	47.45	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.90%
26) 1,2-Dichloroethane-d4	5.31	65	135636	48.46	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.92%
32) Benzene-d6	5.35	84	373202	50.88	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.76%
36) 1,2-Dichloropropane-d6	6.34	67	123196	50.72	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	101.44%
41) Toluene-d8	7.57	98	351186	49.47	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.94%
43) trans-1,3-Dichloropropene-	7.85	79	57730	45.66	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	91.32%
47) 2-Hexanone-d5	8.31	63	110183	87.50	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	87.50%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	168338	46.68	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	93.36%
64) 1,2-Dichlorobenzene-d4	11.86	152	144957	51.28	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.56%


Target Compounds					Ovalue
13) Acetone	2.32	43	3927	2.67 ug/L	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU071718\
Data File : VU025473.D
Acq On : 17 Jul 2018 22:06
Operator : MD/SY
Sample : J4024-03
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB1P2

Quant Time: Jul 18 07:09:27 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071718WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Jul 18 06:47:36 2018
Response via : Initial Calibration





#13

Acetone

Concen: 2.67 ug/L

RT: 2.32 min Scan# 539

Delta R.T. 0.00 min

Lab File: VU025473.D

Acq: 17 Jul 2018 22:06

Instrument :

MSVOA_U

ClientSampleId :

DB1P2

Tot Ion: 43 Resp: 3927

Ion Ratio Lower Upper

43 100

58 29.6 0.0 59.0

