

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU071718\
 Data File : VU025478.D
 Acq On : 18 Jul 2018 00:03
 Operator : MD/SY
 Sample : J4024-11
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB1R1

Quant Time: Jul 18 07:13:13 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071718WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jul 18 06:47:36 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	329670	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	296306	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	135893	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	68982	44.37	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	88.74%
7) Chloroethane-d5	1.68	69	62756	47.38	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	94.76%
11) 1,1-Dichloroethene-d2	2.27	63	117411	34.39	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	68.78%
21) 2-Butanone-d5	4.18	46	152626	92.26	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	92.26%
24) Chloroform-d	4.65	84	186140	46.15	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.30%
26) 1,2-Dichloroethane-d4	5.31	65	131670	47.97	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.94%
32) Benzene-d6	5.35	84	353255	49.33	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.66%
36) 1,2-Dichloropropane-d6	6.34	67	119083	50.22	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	100.44%
41) Toluene-d8	7.57	98	327418	47.24	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.48%
43) trans-1,3-Dichloropropene-	7.85	79	56497	45.77	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	91.54%
47) 2-Hexanone-d5	8.31	63	109031	88.69	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	88.69%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	163721	46.50	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	93.00%
64) 1,2-Dichlorobenzene-d4	11.86	152	138484	50.85	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	101.70%


Target Compounds					Ovalue
13) Acetone	2.32	43	4689	3.25 ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU071718\
Data File : VU025478.D
Acq On : 18 Jul 2018 00:03
Operator : MD/SY
Sample : J4024-11
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB1R1

Quant Time: Jul 18 07:13:13 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071718WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Jul 18 06:47:36 2018
Response via : Initial Calibration





#13

Acetone

Concen: 3.25 ug/L

RT: 2.32 min Scan# 539

Delta R.T. 0.00 min

Lab File: VU025478.D

Acq: 18 Jul 2018 00:03

Instrument :

MSVOA_U

ClientSampleId :

DB1R1

Tot Ion: 43 Resp: 4689

Ion Ratio Lower Upper

43 100

58 27.5 0.0 59.0

