

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU071718\
 Data File : VU025479.D
 Acq On : 18 Jul 2018 00:26
 Operator : MD/SY
 Sample : J4024-12
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB1R3

Quant Time: Jul 18 07:14:29 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071718WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jul 18 06:47:36 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	319271	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	287407	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	130479	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	65484	43.49	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	86.98%
7) Chloroethane-d5	1.68	69	59868	46.67	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	93.34%
11) 1,1-Dichloroethene-d2	2.27	63	112649	34.07	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	68.14%
21) 2-Butanone-d5	4.18	46	151336	94.46	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	94.46%
24) Chloroform-d	4.65	84	182481	46.72	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.44%
26) 1,2-Dichloroethane-d4	5.31	65	128408	48.31	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.62%
32) Benzene-d6	5.35	84	342507	49.31	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.62%
36) 1,2-Dichloropropane-d6	6.34	67	113862	49.50	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.00%
41) Toluene-d8	7.57	98	314542	46.79	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.58%
43) trans-1,3-Dichloropropene-	7.85	79	54063	45.15	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	90.30%
47) 2-Hexanone-d5	8.31	63	107624	90.26	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	90.26%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	159875	46.82	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	93.64%
64) 1,2-Dichlorobenzene-d4	11.86	152	133095	50.90	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	101.80%


Target Compounds					Ovalue
13) Acetone	2.32	43	6984	4.99 ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU071718\
Data File : VU025479.D
Acq On : 18 Jul 2018 00:26
Operator : MD/SY
Sample : J4024-12
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 28 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB1R3

Quant Time: Jul 18 07:14:29 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071718WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Jul 18 06:47:36 2018
Response via : Initial Calibration





#13

Acetone

Concen: 4.99 ug/L

RT: 2.32 min Scan# 539

Delta R.T. 0.00 min

Lab File: VU025479.D

Acq: 18 Jul 2018 00:26

Instrument :

MSVOA_U

ClientSampleId :

DB1R3

Tot Ion: 43 Resp: 6984

Ion Ratio Lower Upper

43 100

58 25.6 0.0 59.0

