

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU071718\
 Data File : VU025480.D
 Acq On : 18 Jul 2018 00:49
 Operator : MD/SY
 Sample : J4024-13
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB1R8

Quant Time: Jul 18 07:15:30 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071718WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jul 18 06:47:36 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	333903	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	296146	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	135133	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	69567	44.18	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	88.36%
7) Chloroethane-d5	1.68	69	61102	45.55	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	91.10%
11) 1,1-Dichloroethene-d2	2.27	63	119401	34.53	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.06%
21) 2-Butanone-d5	4.18	46	153251	91.46	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	91.46%
24) Chloroform-d	4.65	84	185360	45.38	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.76%
26) 1,2-Dichloroethane-d4	5.31	65	132420	47.64	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.28%
32) Benzene-d6	5.35	84	353807	49.44	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.88%
36) 1,2-Dichloropropane-d6	6.34	67	118025	49.80	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.60%
41) Toluene-d8	7.57	98	331813	47.90	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.80%
43) trans-1,3-Dichloropropene-	7.85	79	58408	47.34	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	94.68%
47) 2-Hexanone-d5	8.31	63	111257	90.55	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	90.55%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	164844	46.85	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	93.70%
64) 1,2-Dichlorobenzene-d4	11.86	152	132769	49.03	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.06%


Target Compounds					Ovalue
13) Acetone	2.32	43	9977	6.82 ug/L	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU071718\
Data File : VU025480.D
Acq On : 18 Jul 2018 00:49
Operator : MD/SY
Sample : J4024-13
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 29 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB1R8

Quant Time: Jul 18 07:15:30 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071718WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Jul 18 06:47:36 2018
Response via : Initial Calibration





#13

Acetone

Concen: 6.82 ug/L

RT: 2.32 min Scan# 539

Delta R.T. 0.00 min

Lab File: VU025480.D

Acq: 18 Jul 2018 00:49

Instrument :

MSVOA_U

ClientSampleId :

DB1R8

Tot Ion: 43 Resp: 9977

Ion Ratio Lower Upper

43 100

58 29.5 0.0 59.0

