

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU071720\
 Data File : VU039548.D
 Acq On : 17 Jul 2020 13:44
 Operator : SY/MD
 Sample : L3292-09
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFT85

Quant Time: Jul 18 00:30:27 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR070720WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Jul 17 23:38:36 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.27	114	84061	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	81611	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	37312	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	20784	4.27	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	85.40%
7) Chloroethane-d5	1.93	69	24227	4.86	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	97.20%
11) 1,1-Dichloroethene-d2	2.58	63	32171	3.36	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	67.20%
20) 2-Butanone-d5	4.65	46	96217	43.16	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	86.32%
24) Chloroform-d	5.09	84	44326	4.27	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	85.40%
26) 1,2-Dichloroethane-d4	5.72	65	33741	5.18	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	103.60%
32) Benzene-d6	5.75	84	93875	4.78	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.60%
36) 1,2-Dichloropropane-d6	6.71	67	31976	4.63	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	92.60%
41) Toluene-d8	7.91	98	83603	4.91	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	98.20%
43) trans-1,3-Dichloropropene-	8.19	79	12873	4.22	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	84.40%
46) 2-Hexanone-d5	8.64	63	70793	39.15	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	78.30%
57) 1,1,2,2-Tetrachloroethane-	10.76	84	28317	4.14	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	82.80%
64) 1,2-Dichlorobenzene-d4	12.19	152	33475	5.03	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	100.60%


Target Compounds					Ovalue
25) Chloroform	5.11	83	7314	0.669 ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU071720\
Data File : VU039548.D
Acq On : 17 Jul 2020 13:44
Operator : SY/MD
Sample : L3292-09
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFT85

Quant Time: Jul 18 00:30:27 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR070720WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Jul 17 23:38:36 2020
Response via : Initial Calibration





#25
 Chloroform
 Concen: 0.669 ug/L
 RT: 5.11 min Scan# 1171
 Delta R.T. -0.00 min
 Lab File: VU039548.D
 Acq: 17 Jul 2020 13:44

Instrument :
 MSVOA_U
 ClientSampleId :
 BFT85

Tot Ion: 83 Resp: 7314
 Ion Ratio Lower Upper
 83 100
 85 72.2 44.9 83.5

