

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU071724\
 Data File : VU060003.D
 Acq On : 17 Jul 2024 18:53
 Operator : MD/SY
 Sample : P3264-21
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 A4D63

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM070224WMA.M

Title : VOC Analysis

Signal : TIC: VU060003.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.596	86	95	115	rBV	72591	91607	13.66%	1.670%
2	1.904	182	191	204	rBV	62705	85813	12.80%	1.565%
3	2.271	301	305	307	rBV4	906	714	0.11%	0.013%
4	2.560	382	395	407	rBV	125883	204266	30.47%	3.724%
5	2.628	408	416	428	rVB2	7994	14335	2.14%	0.261%
6	2.776	456	462	465	rBV2	973	1031	0.15%	0.019%
7	3.036	535	543	544	rBV4	941	1005	0.15%	0.018%
8	3.113	562	567	568	rBV	238	194	0.03%	0.004%
9	3.178	577	587	603	rVB2	1895	4255	0.63%	0.078%
10	3.493	680	685	690	rBV	174	202	0.03%	0.004%
11	4.165	891	894	898	rBV2	200	190	0.03%	0.003%
12	4.512	998	1002	1006	rBV2	236	201	0.03%	0.004%
13	4.615	1018	1034	1063	rBV	71468	188778	28.16%	3.442%
14	5.004	1151	1155	1156	rBV2	269	198	0.03%	0.004%
15	5.052	1156	1170	1195	rVV	124221	279441	41.68%	5.095%
16	5.139	1195	1197	1204	rVV2	546	603	0.09%	0.011%
17	5.171	1204	1207	1211	rVB3	249	182	0.03%	0.003%
18	5.216	1218	1221	1229	rVB3	392	546	0.08%	0.010%
19	5.248	1229	1231	1236	rBV2	275	291	0.04%	0.005%
20	5.274	1236	1239	1242	rVV	264	209	0.03%	0.004%
21	5.332	1254	1257	1261	rBV2	209	185	0.03%	0.003%
22	5.718	1356	1377	1419	rVV2	245328	670441	100.00%	12.223%
23	5.904	1431	1435	1438	rBV2	275	259	0.04%	0.005%
24	5.994	1460	1463	1470	rVB2	311	397	0.06%	0.007%
25	6.242	1528	1540	1572	rBV	249179	486938	72.63%	8.878%
26	6.386	1582	1585	1589	rVB2	397	290	0.04%	0.005%
27	6.486	1613	1616	1620	rVB2	497	310	0.05%	0.006%
28	6.538	1621	1632	1637	rBV9	2141	3905	0.58%	0.071%
29	6.682	1664	1677	1704	rBV	157291	310289	46.28%	5.657%
30	6.782	1704	1708	1713	rVB3	431	556	0.08%	0.010%
31	6.808	1713	1716	1718	rBV2	389	284	0.04%	0.005%
32	6.878	1732	1738	1741	rBV2	174	217	0.03%	0.004%
33	6.917	1748	1750	1757	rVB2	341	257	0.04%	0.005%
34	7.194	1831	1836	1840	rBV3	424	504	0.08%	0.009%
35	7.280	1860	1863	1865	rBV2	248	190	0.03%	0.003%
36	7.560	1939	1950	1968	rBV	76191	135929	20.27%	2.478%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU071724\
 Data File : VU060003.D
 Acq On : 17 Jul 2024 18:53
 Operator : MD/SY
 Sample : P3264-21
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 A4D63

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM070224WMA.M
 Title : VOC Analysis

37	7.718	1995	1999	2004	rVB2	369	364	0.05%	0.007%
38	7.891	2041	2053	2082	rBV	275914	484035	72.20%	8.825%
39	8.174	2127	2141	2160	rBV	52131	92291	13.77%	1.683%
40	8.245	2160	2163	2167	rVB4	358	317	0.05%	0.006%
41	8.467	2224	2232	2240	rVB3	1299	1828	0.27%	0.033%
42	8.554	2250	2259	2267	rBV4	3515	5005	0.75%	0.091%
43	8.628	2272	2282	2315	rBV	190056	373486	55.71%	6.809%
44	8.788	2326	2332	2341	rVB6	3469	5463	0.81%	0.100%
45	8.846	2346	2350	2353	rBV3	529	383	0.06%	0.007%
46	9.110	2427	2432	2437	rBV2	260	278	0.04%	0.005%
47	9.264	2478	2480	2484	rVB2	286	202	0.03%	0.004%
48	9.412	2513	2526	2550	rBV	364885	616861	92.01%	11.246%
49	9.640	2593	2597	2601	rVB2	358	292	0.04%	0.005%
50	9.689	2608	2612	2614	rBV2	467	416	0.06%	0.008%
51	9.724	2621	2623	2626	rVB	319	185	0.03%	0.003%
52	9.798	2643	2646	2652	rBV2	202	180	0.03%	0.003%
53	9.920	2679	2684	2687	rBV2	169	190	0.03%	0.003%
54	10.097	2736	2739	2749	rBV2	448	499	0.07%	0.009%
55	10.181	2761	2765	2770	rBV	259	214	0.03%	0.004%
56	10.222	2775	2778	2781	rBV	352	225	0.03%	0.004%
57	10.245	2781	2785	2788	rBV2	252	188	0.03%	0.003%
58	10.345	2811	2816	2818	rBV2	252	217	0.03%	0.004%
59	10.415	2833	2838	2846	rVV2	284	331	0.05%	0.006%
60	10.486	2858	2860	2864	rVB2	329	180	0.03%	0.003%
61	10.563	2881	2884	2888	rBV2	243	187	0.03%	0.003%
62	10.750	2928	2942	2962	rBV	260524	420693	62.75%	7.670%
63	10.891	2976	2986	2994	rBV2	1704	2471	0.37%	0.045%
64	11.049	3032	3035	3039	rVB	305	199	0.03%	0.004%
65	11.148	3063	3066	3073	rVB2	222	253	0.04%	0.005%
66	11.180	3073	3076	3079	rBV2	220	179	0.03%	0.003%
67	11.271	3098	3104	3108	rBV	331	325	0.05%	0.006%
68	11.438	3147	3156	3159	rBV2	335	450	0.07%	0.008%
69	11.499	3173	3175	3179	rBV3	220	179	0.03%	0.003%
70	11.615	3209	3211	3219	rVB	282	285	0.04%	0.005%
71	11.685	3230	3233	3235	rBV	239	176	0.03%	0.003%
72	11.737	3247	3249	3254	rBV3	634	508	0.08%	0.009%
73	11.807	3259	3271	3295	rBV	315936	513922	76.65%	9.370%
74	12.020	3334	3337	3343	rVB2	269	238	0.04%	0.004%
75	12.074	3343	3354	3365	rBV6	3613	8430	1.26%	0.154%
76	12.187	3378	3389	3410	rBV	271413	452019	67.42%	8.241%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU071724\
 Data File : VU060003.D
 Acq On : 17 Jul 2024 18:53
 Operator : MD/SY
 Sample : P3264-21
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 A4D63

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM070224WMA.M
 Title : VOC Analysis

77	12.312	3426	3428	3432	rVB2	370	262	0.04%	0.005%
78	12.338	3432	3436	3438	rBV2	337	234	0.03%	0.004%
79	12.438	3462	3467	3474	rBV2	391	508	0.08%	0.009%
80	12.534	3489	3497	3506	rBV5	2650	4259	0.64%	0.078%
81	12.605	3516	3519	3524	rVB2	226	181	0.03%	0.003%
82	12.705	3548	3550	3558	rVB2	316	307	0.05%	0.006%
83	12.743	3558	3562	3564	rBV	399	301	0.04%	0.005%
84	12.769	3564	3570	3578	rVB3	1375	1974	0.29%	0.036%
85	12.849	3589	3595	3604	rBV5	1086	1440	0.21%	0.026%
86	12.894	3604	3609	3611	rBV3	859	870	0.13%	0.016%
87	13.084	3664	3668	3670	rBV	302	217	0.03%	0.004%
88	13.222	3708	3711	3713	rBV2	327	235	0.04%	0.004%
89	13.306	3734	3737	3740	rBV2	250	188	0.03%	0.003%
90	13.849	3901	3906	3914	rBV4	638	809	0.12%	0.015%
91	14.110	3980	3987	3988	rBV2	681	729	0.11%	0.013%
92	14.331	4053	4056	4058	rBV2	542	392	0.06%	0.007%
93	14.553	4118	4125	4126	rBV	499	522	0.08%	0.010%
94	14.627	4144	4148	4152	rBV2	419	462	0.07%	0.008%
95	14.762	4185	4190	4194	rBV2	342	419	0.06%	0.008%
96	14.823	4207	4209	4212	rBV	291	225	0.03%	0.004%
97	14.975	4254	4256	4258	rBV	452	240	0.04%	0.004%
98	15.225	4331	4334	4340	rBV2	378	415	0.06%	0.008%
99	15.283	4350	4352	4355	rBV2	348	193	0.03%	0.004%
100	15.695	4477	4480	4483	rBV3	683	451	0.07%	0.008%

Sum of corrected areas: 5484989

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU071724\
Data File : VU060003.D
Acq On : 17 Jul 2024 18:53
Operator : MD/SY
Sample : P3264-21
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
A4D63

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM070224WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU071724\
Data File : VU060003.D
Acq On : 17 Jul 2024 18:53
Operator : MD/SY
Sample : P3264-21
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
A4D63

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM070224WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------