

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU071818\
 Data File : VU025505.D
 Acq On : 18 Jul 2018 18:44
 Operator : MD/SY
 Sample : J4024-16
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 23 Sample Multiplier: 1

Quant Time: Jul 19 01:09:59 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071718WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jul 19 01:07:14 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	317919	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	288117	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	131776	50.00	ug/L	0.00

System Monitoring Compounds


4) Vinyl Chloride-d3	1.40	65	59425	39.64	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	79.28%
7) Chloroethane-d5	1.68	69	57411	44.95	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	89.90%
11) 1,1-Dichloroethene-d2	2.27	63	107585	32.68	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	65.36%
21) 2-Butanone-d5	4.18	46	148854	93.30	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	93.30%
24) Chloroform-d	4.65	84	172896	44.46	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.92%
26) 1,2-Dichloroethane-d4	5.31	65	123249	46.57	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.14%
32) Benzene-d6	5.35	84	326999	46.97	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.94%
36) 1,2-Dichloropropane-d6	6.34	67	109828	47.63	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	95.26%
41) Toluene-d8	7.57	98	301842	44.79	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	89.58%
43) trans-1,3-Dichloropropene-	7.85	79	52328	43.60	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	87.20%
47) 2-Hexanone-d5	8.31	63	107399	89.84	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	89.84%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	157715	46.07	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	92.14%
64) 1,2-Dichlorobenzene-d4	11.86	152	126849	48.04	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.08%


Target Compounds					Qvalue
37) 1,2-Dichloropropane	6.34	63	12182	5.181 ug/L #	88
59) 1,2,3-Trichloropropane	11.48	75	15054	4.814 ug/L	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU071818\
Data File : VU025505.D
Acq On : 18 Jul 2018 18:44
Operator : MD/SY
Sample : J4024-16
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 23 Sample Multiplier: 1





Quant Time: Jul 19 01:09:59 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071718WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jul 19 01:07:14 2018
Response via : Initial Calibration





#37
 1,2-Dichloropropane
 Concen: 5.181 ug/L
 RT: 6.34 min Scan# 1787
 Delta R.T. -0.10 min
 Lab File: VU025505.D
 Acq: 18 Jul 2018 18:44

Tgt Ion: 63 Resp: 12182
 Ion Ratio Lower Upper
 63 100
 112 0.0 3.2 4.8#



#59
 1,2,3-Trichloropropane
 Concen: 4.814 ug/L
 RT: 11.48 min Scan# 3388
 Delta R.T. 0.99 min
 Lab File: VU025505.D
 Acq: 18 Jul 2018 18:44

Tgt Ion: 75 Resp: 15054
 Ion Ratio Lower Upper
 75 100
 77 38.4 26.2 39.2

