

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU071818\
 Data File : VU025491.D
 Acq On : 18 Jul 2018 12:27
 Operator : MD/SY
 Sample : J4024-06MS
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB1Q2MS

Quant Time: Jul 19 01:45:06 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071718WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jul 19 01:07:14 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	328586	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	298694	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	141752	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	67297	43.43	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	86.86%
7) Chloroethane-d5	1.68	69	63805	48.33	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	96.66%
11) 1,1-Dichloroethene-d2	2.28	63	173195	50.90	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	101.80%
21) 2-Butanone-d5	4.18	46	141772	85.98	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	85.98%
24) Chloroform-d	4.65	84	187081	46.54	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.08%
26) 1,2-Dichloroethane-d4	5.31	65	130706	47.78	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.56%
32) Benzene-d6	5.35	84	359297	49.78	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.56%
36) 1,2-Dichloropropane-d6	6.34	67	117191	49.03	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	98.06%
41) Toluene-d8	7.57	98	337121	48.25	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.50%
43) trans-1,3-Dichloropropene-	7.85	79	57983	46.60	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	93.20%
47) 2-Hexanone-d5	8.31	63	102880	83.02	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	83.02%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	163690	46.12	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	92.24%
64) 1,2-Dichlorobenzene-d4	11.86	152	140082	49.31	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.62%

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
12) 1,1-Dichloroethene	2.29	96	93947	52.75	ug/L	96
33) Benzene	5.39	78	447459	50.64	ug/L	100
34) Trichloroethene	6.19	95	115794	49.50	ug/L	97
42) Toluene	7.64	91	483306	51.29	ug/L	99
51) Chlorobenzene	9.12	112	312507	49.43	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU071818\
Data File : VU025491.D
Acq On : 18 Jul 2018 12:27
Operator : MD/SY
Sample : J4024-06MS
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB1Q2MS

Quant Time: Jul 19 01:45:06 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071718WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jul 19 01:07:14 2018
Response via : Initial Calibration

