

Data File : VU025495.D
Acq On : 18 Jul 2018 14:28
Operator : MD/SY
Sample : J3986-07
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 12 Sample Multiplier: 1

Quant Time: Jul 19 01:19:47 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071718WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jul 19 01:07:14 2018
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	331929	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	299960	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	141820	50.00	ug/L	0.00

System Monitoring Compounds


4) Vinyl Chloride-d3	1.40	65	67093	42.86	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	85.72%
7) Chloroethane-d5	1.68	69	62165	46.62	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	93.24%
11) 1,1-Dichloroethene-d2	2.27	63	114088	33.19	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	66.38%
21) 2-Butanone-d5	4.18	46	150349	90.26	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	90.26%
24) Chloroform-d	4.65	84	183020	45.07	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.14%
26) 1,2-Dichloroethane-d4	5.31	65	131933	47.74	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.48%
32) Benzene-d6	5.35	84	356630	49.20	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.40%
36) 1,2-Dichloropropane-d6	6.34	67	117309	48.87	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	97.74%
41) Toluene-d8	7.57	98	329610	46.98	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.96%
43) trans-1,3-Dichloropropene-	7.85	79	57190	45.77	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	91.54%
47) 2-Hexanone-d5	8.31	63	108198	86.94	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	86.94%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	163037	45.74	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	91.48%
64) 1,2-Dichlorobenzene-d4	11.86	152	138449	48.71	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.42%


Target Compounds					Qvalue
20) cis-1,2-Dichloroethene	4.23	96	395762	151.897 ug/L	97
34) Trichloroethene	6.19	95	187269	79.718 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VU025495.D
Acq On : 18 Jul 2018 14:28
Operator : MD/SY
Sample : J3986-07
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 12 Sample Multiplier: 1

Quant Time: Jul 19 01:19:47 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071718WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jul 19 01:07:14 2018
Response via : Initial Calibration





#20

cis-1,2-Dichloroethene

Concen: 151.897 ug/L





RT: 4.23 min Scan# 1133

Delta R.T. 0.00 min

Lab File: VU025495.D

Acq: 18 Jul 2018 14:28

Tgt Ion:	96	Resp:	395762
Ion	Ratio	Lower	Upper
96	100		
61	128.0	91.7	170.3
68	0.0	0.0	0.0



#34

Trichloroethene

Concen: 79.718 ug/L

RT: 6.19 min Scan# 1741

Delta R.T. 0.00 min

Lab File: VU025495.D

Acq: 18 Jul 2018 14:28

Tgt Ion:	95	Resp:	187269
Ion	Ratio	Lower	Upper
95	100		
97	63.3	45.9	85.3
132	98.0	68.2	126.6
130	100.8	71.8	133.4

