

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU071824\
 Data File : VU060033.D
 Acq On : 18 Jul 2024 21:35
 Operator : MD/SY
 Sample : P3217-05
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 YDZN4

Quant Time: Jul 19 01:39:11 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR071824WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Jul 19 01:30:22 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	155934	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	158084	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	74191	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	45444	4.189	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	83.800%	
7) Chloroethane-d5	1.911	69	44325	4.398	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	88.000%	
11) 1,1-Dichloroethene-d2	2.560	65	18426	4.350	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	87.000%	
20) 2-Butanone-d5	4.631	46	138083	54.438	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	108.880%	
24) Chloroform-d	5.055	84	100119	4.391	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	87.800%	
26) 1,2-Dichloroethane-d4	5.695	65	51552	4.856	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	97.200%	
32) Benzene-d6	5.721	84	202937	4.791	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	95.800%	
36) 1,2-Dichloropropane-d6	6.682	67	65508	4.854	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	97.000%	
41) Toluene-d8	7.894	98	172293	4.502	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	90.000%	
43) trans-1,3-Dichloroprop...	8.177	79	21377	4.653	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	93.000%	
46) 2-Hexanone-d5	8.627	63	117797	57.781	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	115.560%	
56) 1,1,2,2-Tetrachloroeth...	10.749	84	59356	4.941	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	98.800%	
66) 1,2-Dichlorobenzene-d4	12.190	152	71310	5.325	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	106.400%	
Target Compounds						Qvalue
13) Acetone	2.647	43	22004	13.114	ug/L	92
16) Methylene chloride	3.036	84	2529	0.173	ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU071824\
Data File : VU060033.D
Acq On : 18 Jul 2024 21:35
Operator : MD/SY
Sample : P3217-05
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
YDZN4

Quant Time: Jul 19 01:39:11 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR071824WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Jul 19 01:30:22 2024
Response via : Initial Calibration





#13

Acetone

Concen: 13.114 ug/L

RT: 2.647 min Scan# 41

Delta R.T. 0.003 min

Lab File: VU060033.D

Acq: 18 Jul 2024 21:35

Instrument :

MSVOA_U

ClientSampleId :





YDZN4

Tgt Ion: 43 Resp: 22004

Ion Ratio Lower Upper

43 100

58 35.8 0.0 82.2



#16

Methylene chloride

Concen: 0.173 ug/L

RT: 3.036 min Scan# 543

Delta R.T. -0.000 min

Lab File: VU060033.D

Acq: 18 Jul 2024 21:35

Tgt Ion: 84 Resp: 2529

Ion Ratio Lower Upper

84 100

86 64.1 44.4 82.5

49 95.3 72.0 133.6

