

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU071824\
 Data File : VU060066.D
 Acq On : 19 Jul 2024 17:30
 Operator : MD/SY
 Sample : P3298-05
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BHAZ8

Quant Time: Jul 20 01:41:59 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR071824WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Jul 20 01:37:26 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	126012	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	129427	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	61473	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	30209	3.446	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	69.000%
7) Chloroethane-d5	1.910	69	30634	3.761	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	75.200%
11) 1,1-Dichloroethene-d2	2.560	65	12684	3.705	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	74.200%
20) 2-Butanone-d5	4.627	46	106854	52.129	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	104.260%
24) Chloroform-d	5.055	84	74330	4.034	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	80.600%
26) 1,2-Dichloroethane-d4	5.695	65	37914	4.419	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	88.400%
32) Benzene-d6	5.721	84	147771	4.261	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	85.200%
36) 1,2-Dichloropropane-d6	6.682	67	48393	4.380	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	87.600%
41) Toluene-d8	7.894	98	121401	3.875	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	77.400%
43) trans-1,3-Dichloroprop...	8.177	79	15976	4.247	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	85.000%
46) 2-Hexanone-d5	8.627	63	81184	48.639	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	97.280%
56) 1,1,2,2-Tetrachloroeth...	10.749	84	46210	4.699	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	94.000%
66) 1,2-Dichlorobenzene-d4	12.190	152	52352	4.718	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	94.400%
Target Compounds					Qvalue	
13) Acetone	2.647	43	25802	19.029	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU071824\
Data File : VU060066.D
Acq On : 19 Jul 2024 17:30
Operator : MD/SY
Sample : P3298-05
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BHAZ8

Quant Time: Jul 20 01:41:59 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR071824WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Jul 20 01:37:26 2024
Response via : Initial Calibration





#13
Acetone
Concen: 19.029 ug/L
RT: 2.647 min Scan# 41
Delta R.T. 0.006 min
Lab File: VU060066.D
Acq: 19 Jul 2024 17:30

Instrument :
MSVOA_U
ClientSampleId :
BHAZ8

Tgt Ion: 43 Resp: 25802
Ion Ratio Lower Upper
43 100
58 39.5 0.0 82.2

