

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU071824\
 Data File : VU060048.D
 Acq On : 19 Jul 2024 09:53
 Operator : MD/SY
 Sample : P3217-03DL2 1000X
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 43 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 YDZC5DL2

Integration Parameters: rteint.p

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.1

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR071824WMA.M
 Title : TRACE VOA SFAM1.0

Signal : TIC: VU060048.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.596	87	95	107	rBV	58257	66567	14.09%	1.437%
2	1.911	184	193	206	rBV	50833	69060	14.62%	1.490%
3	2.560	382	395	412	rVB	88561	146396	30.99%	3.159%
4	2.830	455	479	480	rBV2	10230	22713	4.81%	0.490%
5	4.657	1028	1047	1079	rBV2	109523	376447	79.69%	8.124%
6	5.055	1153	1171	1192	rBV2	90391	204540	43.30%	4.414%
7	5.718	1357	1377	1405	rBV2	182611	472411	100.00%	10.195%
8	6.242	1528	1540	1565	rBV	160903	311064	65.85%	6.713%
9	6.538	1622	1632	1645	rVB5	4521	9656	2.04%	0.208%
10	6.682	1665	1677	1695	rBV	108850	216666	45.86%	4.676%
11	7.560	1936	1950	1969	rBV	50078	92557	19.59%	1.997%
12	7.891	2041	2053	2069	rBV	206979	362715	76.78%	7.828%
13	7.965	2070	2076	2092	rVB2	7480	14289	3.02%	0.308%
14	8.177	2127	2142	2157	rBV3	28533	50682	10.73%	1.094%
15	8.467	2223	2232	2241	rVB2	4198	7154	1.51%	0.154%
16	8.550	2249	2258	2268	rVB5	10065	16263	3.44%	0.351%
17	8.627	2271	2282	2322	rBV	220854	444529	94.10%	9.593%
18	9.412	2512	2526	2550	rBV	235683	400752	84.83%	8.648%
19	9.570	2566	2575	2586	rVB	6187	9626	2.04%	0.208%
20	9.689	2600	2612	2633	rVB2	15416	28246	5.98%	0.610%
21	10.097	2729	2739	2753	rBV2	19187	32726	6.93%	0.706%
22	10.750	2930	2942	2955	rBV	92819	149202	31.58%	3.220%
23	10.885	2973	2984	3003	rVB4	10785	19322	4.09%	0.417%
24	10.994	3009	3018	3024	rBV2	6779	11560	2.45%	0.249%
25	11.020	3024	3026	3036	rVV4	4637	5187	1.10%	0.112%
26	11.084	3036	3046	3058	rVB3	9838	15000	3.18%	0.324%
27	11.290	3100	3110	3122	rBV	8916	13860	2.93%	0.299%
28	11.467	3154	3165	3181	rVB	15394	24476	5.18%	0.528%
29	11.807	3258	3271	3287	rVV	230188	392099	83.00%	8.462%
30	11.888	3288	3296	3307	rVB	24438	38660	8.18%	0.834%
31	12.087	3343	3358	3367	rBV6	11508	23848	5.05%	0.515%
32	12.187	3378	3389	3409	rBV2	224398	411710	87.15%	8.885%
33	12.373	3440	3447	3456	rVB3	3293	4920	1.04%	0.106%
34	12.492	3479	3484	3493	rVB2	3660	4955	1.05%	0.107%
35	12.566	3498	3507	3516	rBV2	6621	10158	2.15%	0.219%
36	12.676	3533	3541	3547	rBV3	6214	9299	1.97%	0.201%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU071824\
Data File : VU060048.D
Acq On : 19 Jul 2024 09:53
Operator : MD/SY
Sample : P3217-03DL2 1000X
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 43 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
YDZC5DL2

Integration Parameters: rteint.p

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.1

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR071824WMA.M
Title : TRACE VOA SFAM1.0

37	12.762	3561	3568	3578	rVB2	3853	6315	1.34%	0.136%
38	12.971	3624	3633	3641	rVB3	3723	6352	1.34%	0.137%
39	13.023	3641	3649	3661	rVB	7767	11294	2.39%	0.244%
40	13.293	3725	3733	3742	rBV4	3540	4977	1.05%	0.107%
41	13.450	3771	3782	3796	rVB4	13304	23492	4.97%	0.507%
42	13.618	3825	3834	3842	rBV4	5443	7646	1.62%	0.165%
43	14.093	3971	3982	3994	rBV2	7636	13859	2.93%	0.299%
44	14.569	4120	4130	4145	rVB2	7872	12408	2.63%	0.268%
45	15.222	4322	4333	4345	rBV	21021	35466	7.51%	0.765%
46	15.409	4381	4391	4402	rBV3	13484	22687	4.80%	0.490%




Sum of corrected areas: 4633811

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU071824\
Data File : VU060048.D
Acq On : 19 Jul 2024 09:53
Operator : MD/SY
Sample : P3217-03DL2 1000X
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 43 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
YDZC5DL2

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR071824WMA.M
Quant Title : TRACE VOA SFAM1.0

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU071824\
Data File : VU060048.D
Acq On : 19 Jul 2024 09:53
Operator : MD/SY
Sample : P3217-03DL2 1000X
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 43 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
YDZC5DL2

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR071824WMA.M
Quant Title : TRACE VOA SFAM1.0

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU071824\
Data File : VU060048.D
Acq On : 19 Jul 2024 09:53
Operator : MD/SY
Sample : P3217-03DL2 1000X
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 43 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
YDZC5DL2

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR071824WMA.M
Quant Title : TRACE VOA SFAM1.0

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------