

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU071919\
 Data File : VU033334.D
 Acq On : 19 Jul 2019 14:05
 Operator : JC/SP
 Sample : VU0719WBL01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK56

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071219WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.392	87	94	108	rVB	162659	166565	16.02%	2.059%
2	1.672	173	181	198	rVB	137276	176590	16.98%	2.183%
3	2.257	353	363	376	rVB	243527	373749	35.94%	4.620%
4	2.588	464	466	469	rBV2	195	105	0.01%	0.001%
5	2.643	480	483	485	rBV2	188	89	0.01%	0.001%
6	2.666	487	490	492	rBV	516	354	0.03%	0.004%
7	2.817	527	537	548	rBV3	2721	5496	0.53%	0.068%
8	2.871	552	554	558	rVB2	172	72	0.01%	0.001%
9	2.945	576	577	579	rBV	141	58	0.01%	0.001%
10	3.084	617	620	625	rBV2	189	165	0.02%	0.002%
11	3.113	625	629	632	rVV2	227	166	0.02%	0.002%
12	3.190	648	653	656	rBV	271	216	0.02%	0.003%
13	3.273	670	679	685	rBV2	252	407	0.04%	0.005%
14	3.296	685	686	689	rBV	141	70	0.01%	0.001%
15	3.347	698	702	706	rBV	135	165	0.02%	0.002%
16	3.386	711	714	717	rVB	117	74	0.01%	0.001%
17	3.444	730	732	735	rBV2	176	69	0.01%	0.001%
18	3.482	742	744	747	rVB2	165	52	0.01%	0.001%
19	3.514	747	754	756	rBV	178	181	0.02%	0.002%
20	3.556	764	767	769	rBV	139	79	0.01%	0.001%
21	3.624	779	788	790	rBV2	385	524	0.05%	0.006%
22	3.794	838	841	843	rBV	180	95	0.01%	0.001%
23	3.855	858	860	864	rVB2	106	57	0.01%	0.001%
24	3.878	864	867	868	rBV	115	66	0.01%	0.001%
25	3.945	886	888	890	rBV	82	36	0.00%	0.000%
26	3.958	890	892	895	rVB2	134	65	0.01%	0.001%
27	3.974	895	897	898	rBV	147	71	0.01%	0.001%
28	4.006	904	907	910	rVB	262	177	0.02%	0.002%
29	4.026	910	913	918	rBV2	169	175	0.02%	0.002%
30	4.077	927	929	932	rBV	135	95	0.01%	0.001%
31	4.148	939	951	978	rBV	95415	255823	24.60%	3.163%
32	4.624	1084	1099	1124	rVB2	177582	412673	39.68%	5.102%
33	4.823	1155	1161	1163	rBV2	307	309	0.03%	0.004%
34	4.910	1185	1188	1192	rBV2	433	278	0.03%	0.003%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU071919\
 Data File : VU033334.D
 Acq On : 19 Jul 2019 14:05
 Operator : JC/SP
 Sample : VU0719WBL01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK56

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071219WMA.M
 Title : VOC Analysis

35	4.958	1196	1203	1205	rBV	680	589	0.06%	0.007%
36	4.993	1212	1214	1217	rVB	158	70	0.01%	0.001%
37	5.013	1217	1220	1223	rBV	213	124	0.01%	0.002%
38	5.103	1243	1248	1253	rBV2	539	535	0.05%	0.007%
39	5.215	1282	1283	1284	rBV2	101	20	0.00%	0.000%
40	5.235	1284	1289	1291	rBV	359	235	0.02%	0.003%
41	5.315	1291	1314	1344	rBV2	352364	1039940	100.00%	12.856%
42	5.804	1464	1466	1470	rVB	183	105	0.01%	0.001%
43	5.865	1470	1485	1512	rBV	316859	625967	60.19%	7.738%
44	6.254	1602	1606	1609	rBV4	414	334	0.03%	0.004%
45	6.309	1609	1623	1645	rBV	234857	471690	45.36%	5.831%
46	6.437	1661	1663	1670	rVB3	755	777	0.07%	0.010%
47	6.550	1693	1698	1701	rBV3	297	280	0.03%	0.003%
48	6.614	1715	1718	1720	rVB	185	94	0.01%	0.001%
49	6.627	1720	1722	1724	rBV	148	65	0.01%	0.001%
50	6.659	1729	1732	1735	rBV2	249	185	0.02%	0.002%
51	6.691	1741	1742	1744	rBV2	116	43	0.00%	0.001%
52	6.717	1748	1750	1753	rBV	369	220	0.02%	0.003%
53	6.768	1764	1766	1770	rVB2	224	129	0.01%	0.002%
54	6.817	1776	1781	1784	rBV2	423	405	0.04%	0.005%
55	6.923	1812	1814	1816	rVB	256	84	0.01%	0.001%
56	6.939	1817	1819	1825	rVB	232	123	0.01%	0.002%
57	6.961	1825	1826	1829	rVB	165	69	0.01%	0.001%
58	6.981	1829	1832	1835	rBV2	222	163	0.02%	0.002%
59	7.042	1849	1851	1852	rBV2	148	63	0.01%	0.001%
60	7.122	1874	1876	1877	rBV	202	58	0.01%	0.001%
61	7.209	1891	1903	1920	rBV	131502	235060	22.60%	2.906%
62	7.399	1959	1962	1965	rVB3	450	288	0.03%	0.004%
63	7.415	1965	1967	1971	rVB2	347	257	0.02%	0.003%
64	7.546	1993	2008	2029	rBV	462752	812693	78.15%	10.047%
65	7.833	2085	2097	2118	rBV2	91846	160631	15.45%	1.986%
66	8.064	2167	2169	2171	rBV	208	100	0.01%	0.001%
67	8.096	2176	2179	2182	rBV3	234	137	0.01%	0.002%
68	8.202	2208	2212	2215	rBV3	363	350	0.03%	0.004%
69	8.231	2218	2221	2224	rBV3	143	93	0.01%	0.001%
70	8.296	2228	2241	2280	rBV	287499	540144	51.94%	6.677%
71	8.566	2323	2325	2328	rVB3	552	250	0.02%	0.003%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU071919\
 Data File : VU033334.D
 Acq On : 19 Jul 2019 14:05
 Operator : JC/SP
 Sample : VU0719WBL01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK56

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071219WMA.M
 Title : VOC Analysis

72	8.601	2334	2336	2344	rVV3	433	600	0.06%	0.007%
73	8.633	2344	2346	2350	rVB2	569	313	0.03%	0.004%
74	8.659	2352	2354	2355	rVB2	116	28	0.00%	0.000%
75	8.736	2374	2378	2380	rBV2	185	111	0.01%	0.001%
76	8.771	2386	2389	2391	rBV	256	131	0.01%	0.002%
77	8.916	2431	2434	2438	rVB3	277	195	0.02%	0.002%
78	9.074	2470	2483	2508	rBV	480082	799576	76.89%	9.885%
79	9.218	2526	2528	2529	rBV	238	89	0.01%	0.001%
80	9.292	2548	2551	2554	rVB2	378	232	0.02%	0.003%
81	9.344	2564	2567	2568	rBV2	225	117	0.01%	0.001%
82	9.398	2582	2584	2587	rBV	239	153	0.01%	0.002%
83	9.572	2636	2638	2641	rBV	127	72	0.01%	0.001%
84	10.000	2768	2771	2774	rBV	215	137	0.01%	0.002%
85	10.144	2814	2816	2818	rBV2	242	94	0.01%	0.001%
86	10.414	2888	2900	2920	rBV	335385	537602	51.70%	6.646%
87	10.591	2950	2955	2963	rVB3	526	619	0.06%	0.008%
88	11.405	3205	3208	3216	rBV3	382	391	0.04%	0.005%
89	11.469	3216	3228	3258	rBV	458172	730737	70.27%	9.034%
90	11.710	3300	3303	3306	rBV3	393	315	0.03%	0.004%
91	11.845	3333	3345	3370	rBV	454866	729824	70.18%	9.022%
92	12.398	3515	3517	3519	rBV2	331	178	0.02%	0.002%


Sum of corrected areas: 8089050

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU071919\
Data File : VU033334.D
Acq On : 19 Jul 2019 14:05
Operator : JC/SP
Sample : VU0719WBL01
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampled :
VBLK56

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071219WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU071919\
Data File : VU033334.D
Acq On : 19 Jul 2019 14:05
Operator : JC/SP
Sample : VU0719WBL01
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK56

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071219WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU071919\
Data File : VU033334.D
Acq On : 19 Jul 2019 14:05
Operator : JC/SP
Sample : VU0719WBL01
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK56

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071219WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc