

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU071919\
 Data File : VU033335.D
 Acq On : 19 Jul 2019 14:27
 Operator : JC/SP
 Sample : K3863-25
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 A52W3

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071219WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.389	87	93	108	rVB	139804	145276	14.95%	1.874%
2	1.669	173	180	195	rVB	122616	155364	15.99%	2.004%
3	2.257	354	363	372	rBV	203260	303882	31.27%	3.920%
4	2.305	372	378	401	rVB	82459	130527	13.43%	1.684%
5	2.688	491	497	500	rVB3	489	513	0.05%	0.007%
6	2.810	529	535	537	rBV5	1087	1276	0.13%	0.016%
7	3.100	623	625	628	rVB	138	72	0.01%	0.001%
8	3.119	628	631	633	rBV	159	111	0.01%	0.001%
9	3.209	658	659	663	rVB	240	131	0.01%	0.002%
10	3.264	670	676	680	rBV2	258	324	0.03%	0.004%
11	3.321	692	694	695	rBV	158	71	0.01%	0.001%
12	3.399	715	718	719	rBV	168	89	0.01%	0.001%
13	3.553	763	766	769	rBV2	212	160	0.02%	0.002%
14	3.591	775	778	781	rVB	243	146	0.02%	0.002%
15	3.617	781	786	791	rBV4	541	654	0.07%	0.008%
16	3.704	810	813	817	rVB2	339	250	0.03%	0.003%
17	3.727	817	820	825	rBV	269	244	0.03%	0.003%
18	3.752	825	828	830	rBV2	82	56	0.01%	0.001%
19	3.820	847	849	850	rBV2	124	60	0.01%	0.001%
20	3.865	860	863	864	rBV2	172	90	0.01%	0.001%
21	3.890	869	871	876	rVB3	146	109	0.01%	0.001%
22	3.916	876	879	882	rBV	214	122	0.01%	0.002%
23	3.948	886	889	892	rBV	170	126	0.01%	0.002%
24	4.148	939	951	971	rBV2	87816	231114	23.78%	2.981%
25	4.620	1081	1098	1128	rBV2	183739	441128	45.39%	5.691%
26	4.852	1168	1170	1171	rBV	519	260	0.03%	0.003%
27	4.903	1182	1186	1189	rBV2	294	230	0.02%	0.003%
28	4.926	1189	1193	1199	rVB4	324	349	0.04%	0.005%
29	4.968	1199	1206	1208	rVB2	561	435	0.04%	0.006%
30	4.984	1208	1211	1212	rBV	44	27	0.00%	0.000%
31	5.003	1213	1217	1218	rBV	149	96	0.01%	0.001%
32	5.087	1241	1243	1247	rVB	229	150	0.02%	0.002%
33	5.106	1247	1249	1251	rBV	116	74	0.01%	0.001%
34	5.122	1251	1254	1261	rVB2	305	330	0.03%	0.004%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU071919\
 Data File : VU033335.D
 Acq On : 19 Jul 2019 14:27
 Operator : JC/SP
 Sample : K3863-25
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 A52W3

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071219WMA.M
 Title : VOC Analysis

35	5.177	1268	1271	1274	rBV	142	127	0.01%	0.002%
36	5.231	1284	1288	1291	rBV2	126	113	0.01%	0.001%
37	5.315	1291	1314	1346	rBV2	326526	971877	100.00%	12.538%
38	5.636	1412	1414	1420	rBV2	247	222	0.02%	0.003%
39	5.688	1427	1430	1432	rBV2	161	117	0.01%	0.002%
40	5.720	1437	1440	1443	rBV2	270	224	0.02%	0.003%
41	5.768	1453	1455	1458	rVV2	372	191	0.02%	0.002%
42	5.791	1458	1462	1465	rVB2	320	250	0.03%	0.003%
43	5.865	1470	1485	1508	rBV	290892	577445	59.42%	7.449%
44	6.144	1570	1572	1574	rBV	118	67	0.01%	0.001%
45	6.189	1584	1586	1588	rBV2	270	119	0.01%	0.002%
46	6.238	1598	1601	1603	rBV3	354	286	0.03%	0.004%
47	6.308	1609	1623	1646	rBV	221210	444241	45.71%	5.731%
48	6.482	1674	1677	1680	rVB2	449	329	0.03%	0.004%
49	6.517	1680	1688	1705	rBV5	2499	5741	0.59%	0.074%
50	6.598	1710	1713	1715	rBV2	399	225	0.02%	0.003%
51	6.656	1729	1731	1735	rBV	177	92	0.01%	0.001%
52	6.675	1735	1737	1738	rVB	157	62	0.01%	0.001%
53	6.714	1746	1749	1751	rBV	156	116	0.01%	0.001%
54	6.749	1753	1760	1763	rBV	247	274	0.03%	0.004%
55	6.778	1767	1769	1770	rBV	169	69	0.01%	0.001%
56	6.826	1782	1784	1786	rBV2	245	107	0.01%	0.001%
57	6.884	1799	1802	1806	rBV2	244	167	0.02%	0.002%
58	6.923	1810	1814	1815	rBV2	118	87	0.01%	0.001%
59	6.990	1829	1835	1836	rBV2	221	151	0.02%	0.002%
60	7.003	1836	1839	1841	rVV2	218	120	0.01%	0.002%
61	7.054	1852	1855	1857	rBV	234	160	0.02%	0.002%
62	7.083	1862	1864	1866	rBV	92	40	0.00%	0.001%
63	7.125	1875	1877	1881	rVB2	320	182	0.02%	0.002%
64	7.151	1881	1885	1887	rVB2	188	128	0.01%	0.002%
65	7.167	1887	1890	1891	rBV	249	162	0.02%	0.002%
66	7.209	1891	1903	1930	rBV	124545	225095	23.16%	2.904%
67	7.447	1967	1977	1987	rBV3	6069	11163	1.15%	0.144%
68	7.546	1995	2008	2027	rBV	426672	738279	75.96%	9.524%
69	7.784	2080	2082	2083	rBV	336	108	0.01%	0.001%
70	7.829	2086	2096	2114	rBV	87240	151793	15.62%	1.958%
71	8.016	2150	2154	2156	rBV3	260	186	0.02%	0.002%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU071919\
 Data File : VU033335.D
 Acq On : 19 Jul 2019 14:27
 Operator : JC/SP
 Sample : K3863-25
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 A52W3

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071219WMA.M
 Title : VOC Analysis

72	8.058	2164	2167	2168	rBV2	70	39	0.00%	0.001%
73	8.070	2168	2171	2172	rVV2	64	32	0.00%	0.000%
74	8.103	2179	2181	2186	rVB3	384	275	0.03%	0.004%
75	8.164	2188	2200	2208	rBV3	3804	8069	0.83%	0.104%
76	8.292	2229	2240	2277	rBV	281786	523022	53.82%	6.747%
77	8.643	2343	2349	2353	rBV3	287	258	0.03%	0.003%
78	8.771	2386	2389	2391	rBV	200	114	0.01%	0.001%
79	8.852	2412	2414	2418	rVB	177	98	0.01%	0.001%
80	8.874	2419	2421	2422	rBV	156	53	0.01%	0.001%
81	9.074	2470	2483	2511	rBV	446526	752307	77.41%	9.705%
82	9.234	2528	2533	2539	rVB4	866	1052	0.11%	0.014%
83	9.260	2539	2541	2545	rBV2	241	164	0.02%	0.002%
84	9.418	2587	2590	2591	rBV2	184	104	0.01%	0.001%
85	9.530	2623	2625	2627	rBV	160	91	0.01%	0.001%
86	9.540	2627	2628	2631	rVB	208	77	0.01%	0.001%
87	9.723	2683	2685	2689	rVB	443	233	0.02%	0.003%
88	10.218	2832	2839	2856	rVB4	4282	7252	0.75%	0.094%
89	10.350	2878	2880	2883	rBV	181	79	0.01%	0.001%
90	10.414	2888	2900	2919	rBV	322619	520247	53.53%	6.711%
91	10.649	2970	2973	2980	rVB2	336	309	0.03%	0.004%
92	10.791	3012	3017	3018	rBV2	376	343	0.04%	0.004%
93	11.128	3115	3122	3133	rBV3	4228	8003	0.82%	0.103%
94	11.382	3197	3201	3202	rBV2	496	303	0.03%	0.004%
95	11.469	3215	3228	3252	rBV	434774	696796	71.70%	8.989%
96	11.765	3310	3320	3329	rBV8	2225	5529	0.57%	0.071%
97	11.845	3333	3345	3363	rVV	420594	682518	70.23%	8.805%
98	12.508	3546	3551	3553	rBV2	431	379	0.04%	0.005%


Sum of corrected areas: 7751707

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU071919\
Data File : VU033335.D
Acq On : 19 Jul 2019 14:27
Operator : JC/SP
Sample : K3863-25
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
A52W3

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071219WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU071919\
Data File : VU033335.D
Acq On : 19 Jul 2019 14:27
Operator : JC/SP
Sample : K3863-25
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
A52W3

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071219WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU071919\
Data File : VU033335.D
Acq On : 19 Jul 2019 14:27
Operator : JC/SP
Sample : K3863-25
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
A52W3

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071219WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc