

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU071921\
 Data File : VU044360.D
 Acq On : 19 Jul 2021 12:21
 Operator : SY/MD
 Sample : M3035-10
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 PT-ADD-WS

Integration Parameters: rteint.p

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\524U071621DW.M

Title : METHOD 524.2 VOLATILES DRINKING WATER

Signal : TIC: VU044360.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	2.588	374	388	406	rBV	1199702	2244039	47.51%	10.623%
2	3.378	616	634	655	rBV	1221755	2857259	60.49%	13.526%
3	4.012	811	831	858	rBV	1000788	2632243	55.73%	12.461%
4	4.523	969	990	1011	rBV	1768270	4521739	95.74%	21.405%
5	5.960	1419	1437	1474	rBV	1715380	3836235	81.22%	18.160%
6	6.121	1475	1487	1501	rVB	54633	108220	2.29%	0.512%
7	10.639	2882	2892	2910	rBV	52817	84072	1.78%	0.398%
8	10.912	2963	2977	3014	rBV	3008947	4723163	100.00%	22.359%
9	12.201	3366	3378	3392	rBV	70871	117642	2.49%	0.557%




Sum of corrected areas: 21124612

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU071921\
Data File : VU044360.D
Acq On : 19 Jul 2021 12:21
Operator : SY/MD
Sample : M3035-10
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
PT-ADD-WS

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\524U071621DW.M
Quant Title : METHOD 524.2 VOLATILES DRINKING WATER

TIC Library : C:\DATABASE\NIST02.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU071921\
Data File : VU044360.D
Acq On : 19 Jul 2021 12:21
Operator : SY/MD
Sample : M3035-10
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
PT-ADD-WS

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\524U071621DW.M
Quant Title : METHOD 524.2 VOLATILES DRINKING WATER

TIC Library : C:\DATABASE\NIST02.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU071921\
Data File : VU044360.D
Acq On : 19 Jul 2021 12:21
Operator : SY/MD
Sample : M3035-10
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
PT-ADD-WS

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\524U071621DW.M
Quant Title : METHOD 524.2 VOLATILES DRINKING WATER

TIC Library : C:\DATABASE\NIST02.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------