

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU072018\
 Data File : VU025535.D
 Acq On : 20 Jul 2018 12:34
 Operator : MD/SY
 Sample : VU0720WBL01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :

Quant Time: Jul 21 01:30:07 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM072018WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Jul 21 01:28:05 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	345141	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	311753	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	148474	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	92753	47.07	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	94.14%
7) Chloroethane-d5	1.68	69	73960	45.51	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	91.02%
11) 1,1-Dichloroethene-d2	2.27	63	145733	35.53	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	71.06%
21) 2-Butanone-d5	4.18	46	144066	94.71	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	94.71%
24) Chloroform-d	4.65	84	197843	45.08	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.16%
26) 1,2-Dichloroethane-d4	5.31	65	135288	46.61	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.22%
32) Benzene-d6	5.35	84	389791	48.75	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.50%
36) 1,2-Dichloropropane-d6	6.33	67	125542	48.73	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	97.46%
41) Toluene-d8	7.57	98	360597	47.03	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.06%
43) trans-1,3-Dichloropropene-	7.85	79	61009	46.36	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.72%
47) 2-Hexanone-d5	8.31	63	103865	96.28	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	96.28%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	160508	44.55	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	89.10%
64) 1,2-Dichlorobenzene-d4	11.86	152	146114	48.56	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.12%


Target Compounds					Ovalue
37) 1,2-Dichloropropane	6.33	63	14082	5.753 ug/L	# 88


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU072018\
Data File : VU025535.D
Acq On : 20 Jul 2018 12:34
Operator : MD/SY
Sample : VU0720WBL01
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :

Quant Time: Jul 21 01:30:07 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM072018WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Jul 21 01:28:05 2018
Response via : Initial Calibration





#37

1,2-Dichloropropane

Concen: 5.753 ug/L

RT: 6.33 min Scan# 1786

Delta R.T. -0.10 min

Lab File: VU025535.D

Acq: 20 Jul 2018 12:34

Instrument :
MSVOA_U
ClientSampleId :

Tot Ion: 63 Resp: 14082

Ion Ratio Lower Upper

63 100

112 0.0 3.3 4.9#

