

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU072018\
 Data File : VU025549.D
 Acq On : 20 Jul 2018 18:07
 Operator : MD/SY
 Sample : J4039-16
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB1S4

Quant Time: Jul 21 03:04:27 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM072018WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Jul 21 02:53:20 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	328961	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	295862	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	138694	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	83149	44.27	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	88.54%
7) Chloroethane-d5	1.68	69	69546	44.89	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	89.78%
11) 1,1-Dichloroethene-d2	2.27	63	136635	34.95	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.90%
21) 2-Butanone-d5	4.18	46	149150	102.87	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	102.87%
24) Chloroform-d	4.65	84	189992	45.42	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.84%
26) 1,2-Dichloroethane-d4	5.31	65	132056	47.73	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.46%
32) Benzene-d6	5.35	84	374079	49.30	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.60%
36) 1,2-Dichloropropane-d6	6.33	67	122653	50.17	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	100.34%
41) Toluene-d8	7.57	98	347630	47.77	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.54%
43) trans-1,3-Dichloropropene-	7.85	79	57742	46.23	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.46%
47) 2-Hexanone-d5	8.31	63	108710	106.19	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	106.19%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	164136	48.00	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	96.00%
64) 1,2-Dichlorobenzene-d4	11.86	152	140243	49.89	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.78%

Target Compounds					Ovalue
13) Acetone	2.32	43	4295	2.52 ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU072018\
Data File : VU025549.D
Acq On : 20 Jul 2018 18:07
Operator : MD/SY
Sample : J4039-16
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB1S4

Quant Time: Jul 21 03:04:27 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM072018WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Jul 21 02:53:20 2018
Response via : Initial Calibration

