

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU072019\
 Data File : VU033353.D
 Acq On : 20 Jul 2019 01:32
 Operator : JC/SP
 Sample : K3890-06
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 A52J2

Quant Time: Jul 20 05:55:51 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR071619WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Jul 20 05:21:55 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.86	114	104617	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.07	117	109048	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.47	152	47334	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	40861	3.88	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	77.60%
7) Chloroethane-d5	1.67	69	40935	4.66	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	93.20%
11) 1,1-Dichloroethene-d2	2.26	63	69095	3.39	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	67.80%
20) 2-Butanone-d5	4.17	46	89145	44.90	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	89.80%
24) Chloroform-d	4.62	84	64874	4.17	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	83.40%
26) 1,2-Dichloroethane-d4	5.29	65	41659	4.96	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	99.20%
32) Benzene-d6	5.31	84	133695	4.40	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	88.00%
36) 1,2-Dichloropropane-d6	6.31	67	45548	4.71	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	94.20%
41) Toluene-d8	7.55	98	113802	3.96	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	79.20%
43) trans-1,3-Dichloropropene-	7.84	79	16045	4.14	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	82.80%
46) 2-Hexanone-d5	8.30	63	84094	52.87	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	105.74%
57) 1,1,2,2-Tetrachloroethane-	10.41	84	40844	5.09	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	101.80%
64) 1,2-Dichlorobenzene-d4	11.85	152	43597	4.73	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	94.60%


Target Compounds					Ovalue
13) Acetone	2.31	43	10598	6.097 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU072019\
Data File : VU033353.D
Acq On : 20 Jul 2019 01:32
Operator : JC/SP
Sample : K3890-06
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 36 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
A52J2

Quant Time: Jul 20 05:55:51 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR071619WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Jul 20 05:21:55 2019
Response via : Initial Calibration





#13

Acetone

Concen: 6.097 ug/L

RT: 2.31 min Scan# 379

Delta R.T. -0.00 min

Lab File: VU033353.D

Acq: 20 Jul 2019 01:32

Instrument :
MSVOA_U
ClientSampleId :
A52J2

Tot Ion: 43 Resp: 10598

Ion Ratio Lower Upper

43 100

58 34.6 0.0 66.6

