

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU072118\
 Data File : VU025588.D
 Acq On : 21 Jul 2018 16:46
 Operator : MD/SY
 Sample : J4039-06
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :

Quant Time: Jul 23 01:13:50 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM072018WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Jul 23 01:10:42 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	326526	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	306603	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	155689	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	78997	42.38	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	84.76%
7) Chloroethane-d5	1.68	69	69306	45.07	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	90.14%
11) 1,1-Dichloroethene-d2	2.27	63	135490	34.91	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.82%
21) 2-Butanone-d5	4.18	46	151740	105.44	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	105.44%
24) Chloroform-d	4.65	84	194057	46.74	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.48%
26) 1,2-Dichloroethane-d4	5.31	65	131977	48.06	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.12%
32) Benzene-d6	5.35	84	377540	48.01	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.02%
36) 1,2-Dichloropropane-d6	6.34	67	122952	48.53	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	97.06%
41) Toluene-d8	7.57	98	357327	47.38	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.76%
43) trans-1,3-Dichloropropene-	7.85	79	59497	45.97	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	91.94%
47) 2-Hexanone-d5	8.31	63	108947	102.69	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	102.69%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	166614	47.02	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	94.04%
64) 1,2-Dichlorobenzene-d4	11.86	152	154142	48.85	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.70%


Target Compounds					Ovalue
37) 1,2-Dichloropropane	6.34	63	14198	5.898 ug/L	# 88


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU072118\
Data File : VU025588.D
Acq On : 21 Jul 2018 16:46
Operator : MD/SY
Sample : J4039-06
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :

Quant Time: Jul 23 01:13:50 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM072018WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Jul 23 01:10:42 2018
Response via : Initial Calibration





#37
 1,2-Dichloropropane
 Concen: 5.898 ug/L
 RT: 6.34 min Scan# 1787
 Delta R.T. -0.10 min
 Lab File: VU025588.D
 Acq: 21 Jul 2018 16:46

Instrument :
 MSVOA_U
 ClientSampleId :

Tot Ion: 63 Resp: 14198
 Ion Ratio Lower Upper
 63 100
 112 0.0 3.3 4.9#

