

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU072118\
 Data File : VU025594.D
 Acq On : 21 Jul 2018 19:05
 Operator : MD/SY
 Sample : VSTDCCC050EC
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_U
 LabSampleId :
 VSTD05063

Quant Time: Jul 23 01:14:23 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM072018WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Jul 23 01:10:42 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 200%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	1,4-Difluorobenzene	1.000	1.000	0.0	94	0.00
2 T	Dichlorodifluoromethane	0.493	0.452	8.3	90	0.00
3 T	Chloromethane	0.356	0.371	-4.2	104	0.00
4 S	Vinyl Chloride-d3	0.285	0.234	17.9	79	0.00
5 T	Vinyl chloride	0.390	0.376	3.6	94	0.00
6 T	Bromomethane	0.136	0.165	-21.3	118	0.00
7 S	Chloroethane-d5	0.235	0.204	13.2	85	0.00
8 T	Chloroethane	0.230	0.223	3.0	94	0.00
9 T	Trichlorofluoromethane	0.556	0.534	4.0	95	0.00
10 T	1,1,2-Trichloro-1,2,2-trifl	0.311	0.304	2.3	92	0.00
11 S	1,1-Dichloroethene-d2	0.594	0.548	7.7	88	0.00
12 T	1,1-Dichloroethene	0.282	0.284	-0.7	97	0.00
13 T	Acetone	0.259	0.178	31.3#	68	0.00
14 T	Carbon disulfide	0.919	0.877	4.6	93	0.00
15 T	Methyl Acetate	0.358	0.355	0.8	95	0.00
16 T	Methylene chloride	0.352	0.339	3.7	94	0.00
17 T	trans-1,2-Dichloroethene	0.325	0.318	2.2	97	0.00
18 T	Methyl tert-butyl Ether	1.058	1.055	0.3	96	0.00
19 T	1,1-Dichloroethane	0.618	0.605	2.1	95	0.00
20 T	cis-1,2-Dichloroethene	0.367	0.369	-0.5	97	0.00
21 S	2-Butanone-d5	0.220	0.222	-0.9	93	0.00
22 T	2-Butanone	0.288	0.253	12.2	85	0.00
23 T	Bromochloromethane	0.194	0.194	0.0	96	0.00
24 S	Chloroform-d	0.636	0.609	4.2	90	0.00
25 T	Chloroform	0.650	0.647	0.5	97	0.00
26 S	1,2-Dichloroethane-d4	0.420	0.395	6.0	90	0.00
27 T	1,2-Dichloroethane	0.530	0.526	0.8	95	0.00
28 I	Chlorobenzene-d5	1.000	1.000	0.0	97	0.00
29 T	Cyclohexane	0.579	0.550	5.0	93	0.00
30 T	1,1,1-Trichloroethane	0.626	0.612	2.2	97	0.00
31 T	Carbon tetrachloride	0.579	0.553	4.5	96	0.00
32 S	Benzene-d6	1.282	1.180	8.0	89	0.00
33 T	Benzene	1.437	1.395	2.9	96	0.00
34 T	Trichloroethene	0.381	0.375	1.6	98	0.00
35 T	Methylcyclohexane	0.615	0.583	5.2	94	0.00
36 S	1,2-Dichloropropane-d6	0.413	0.386	6.5	93	0.00
37 T	1,2-Dichloropropane	0.393	0.382	2.8	96	0.00
38 T	Bromodichloromethane	0.518	0.505	2.5	97	0.00
39 T	cis-1,3-Dichloropropene	0.609	0.606	0.5	95	0.00
40 T	4-Methyl-2-pentanone	0.516	0.511	1.0	95	0.00
41 S	Toluene-d8	1.230	1.147	6.7	89	0.00
42 T	Toluene	1.549	1.524	1.6	96	0.00
43 S	trans-1,3-Dichloropropene-d	0.211	0.196	7.1	88	0.00
44 T	trans-1,3-Dichloropropene	0.574	0.565	1.6	96	0.00
45 T	1,1,2-Trichloroethane	0.377	0.370	1.9	98	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU072118\
 Data File : VU025594.D
 Acq On : 21 Jul 2018 19:05
 Operator : MD/SY
 Sample : VSTDCCC050EC
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_U
 LabSampleId :
 VSTD05063

Quant Time: Jul 23 01:14:23 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM072018WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Jul 23 01:10:42 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
46 T	Tetrachloroethene	0.330	0.328	0.6	97	0.00
47 S	2-Hexanone-d5	0.173	0.171	1.2	93	0.00
48 T	2-Hexanone	0.436	0.401	8.0	90	0.00
49 T	Dibromochloromethane	0.442	0.436	1.4	95	0.00
50 T	1,2-Dibromoethane	0.406	0.396	2.5	96	0.00
51 T	Chlorobenzene	1.043	1.029	1.3	98	0.00
52 T	Ethylbenzene	1.710	1.728	-1.1	98	0.00
53 T	m,p-Xylene	0.655	0.671	-2.4	99	0.00
54 T	o-xylene	0.665	0.662	0.5	97	0.00
55 T	Styrene	1.082	1.119	-3.4	99	0.00
56 T	Isopropylbenzene	1.715	1.752	-2.2	99	0.00
57 S	1,1,2,2-Tetrachloroethane-d	0.578	0.552	4.5	92	0.00
58 T	1,1,2,2-Tetrachloroethane	0.607	0.593	2.3	96	0.00
59	1,2,3-Trichloropropane	0.461	0.444	3.7	95	0.00
60 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	103	0.00
61 T	Bromoform	0.647	0.583	9.9	95	0.00
62 T	1,3-Dichlorobenzene	1.582	1.547	2.2	102	0.00
63 T	1,4-Dichlorobenzene	1.614	1.570	2.7	102	0.00
64 S	1,2-Dichlorobenzene-d4	1.013	0.935	7.7	95	0.00
65 T	1,2-Dichlorobenzene	1.657	1.593	3.9	100	0.00
66 T	1,2-Dibromo-3-chloropropane	0.261	0.241	7.7	95	0.00
67	1,3,5-Trichlorobenzene	1.221	1.232	-0.9	104	0.00
68 T	1,2,4-trichlorobenzene	1.026	1.085	-5.8	107	0.00
69	Naphthalene	3.086	3.077	0.3	98	0.00
70 T	1,2,3-Trichlorobenzene	1.085	1.103	-1.7	103	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0