

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU072122\
 Data File : VU049830.D
 Acq On : 21 Jul 2022 15:23
 Operator : SY/MD
 Sample : N3744-16ME
 Misc : 4.99g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F5D02ME

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM071122WMA.M
 Title : VOC Analysis

Signal : TIC: VU049830.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.482	38	44	48	rBV4	2741	3049	0.40%	0.051%
2	1.594	71	79	86	rBV	40817	56649	7.48%	0.943%
3	1.867	125	164	172	rBV4	52859	184797	24.39%	3.075%
4	2.221	272	274	275	rBV	526	205	0.03%	0.003%
5	2.240	279	280	282	rBV2	593	203	0.03%	0.003%
6	2.391	325	327	329	rVB	663	253	0.03%	0.004%
7	2.514	353	365	383	rVB	127800	207937	27.44%	3.460%
8	2.739	430	435	441	rVB3	351	401	0.05%	0.007%
9	2.787	447	450	456	rVB2	216	176	0.02%	0.003%
10	2.896	480	484	486	rBV2	235	185	0.02%	0.003%
11	2.912	487	489	492	rVV2	232	160	0.02%	0.003%
12	2.961	500	504	507	rBV3	570	417	0.06%	0.007%
13	3.022	513	523	546	rVB2	5251	11387	1.50%	0.189%
14	3.173	560	570	580	rBV3	1715	3385	0.45%	0.056%
15	3.289	603	606	611	rVB	274	180	0.02%	0.003%
16	3.414	635	645	648	rBV2	258	494	0.07%	0.008%
17	3.867	782	786	789	rBV	162	156	0.02%	0.003%
18	3.890	790	793	796	rVB2	207	153	0.02%	0.003%
19	4.105	857	860	866	rVB2	227	211	0.03%	0.004%
20	4.340	928	933	935	rBV2	196	171	0.02%	0.003%
21	4.433	959	962	965	rBV2	277	263	0.03%	0.004%
22	4.642	1014	1027	1072	rBV2	82958	256256	33.82%	4.264%
23	4.903	1104	1108	1113	rVB3	276	319	0.04%	0.005%
24	5.060	1140	1157	1182	rVV	134983	305932	40.38%	5.091%
25	5.179	1190	1194	1196	rVB2	349	284	0.04%	0.005%
26	5.288	1220	1228	1236	rVB4	784	1599	0.21%	0.027%
27	5.362	1248	1251	1253	rBV2	335	264	0.03%	0.004%
28	5.713	1338	1360	1391	rBV2	299359	757719	100.00%	12.609%
29	5.983	1431	1444	1466	rBV5	7744	19692	2.60%	0.328%
30	6.179	1495	1505	1510	rBV2	224	320	0.04%	0.005%
31	6.243	1510	1525	1550	rVV	214280	422883	55.81%	7.037%
32	6.346	1554	1557	1561	rVB2	395	307	0.04%	0.005%
33	6.369	1561	1564	1568	rBV2	230	176	0.02%	0.003%
34	6.430	1578	1583	1587	rBV2	143	163	0.02%	0.003%
35	6.536	1604	1616	1627	rVV7	9031	18271	2.41%	0.304%
36	6.607	1627	1638	1647	rVV3	3584	7624	1.01%	0.127%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU072122\
 Data File : VU049830.D
 Acq On : 21 Jul 2022 15:23
 Operator : SY/MD
 Sample : N3744-16ME
 Misc : 4.99g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F5D02ME

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM071122WMA.M
 Title : VOC Analysis

37	6.690	1649	1664	1686	rVB	180951	363530	47.98%	6.049%
38	6.777	1686	1691	1694	rBV2	180	186	0.02%	0.003%
39	6.800	1694	1698	1699	rBV2	304	189	0.02%	0.003%
40	6.980	1749	1754	1759	rVV3	323	312	0.04%	0.005%
41	7.012	1761	1764	1770	rVB2	179	206	0.03%	0.003%
42	7.124	1794	1799	1805	rVB2	212	272	0.04%	0.005%
43	7.192	1809	1820	1822	rBV2	2203	2703	0.36%	0.045%
44	7.308	1854	1856	1862	rVV5	643	576	0.08%	0.010%
45	7.337	1863	1865	1870	rVB2	310	245	0.03%	0.004%
46	7.369	1870	1875	1879	rBV2	284	307	0.04%	0.005%
47	7.423	1889	1892	1896	rBV2	203	163	0.02%	0.003%
48	7.478	1906	1909	1911	rBV	232	168	0.02%	0.003%
49	7.565	1923	1936	1954	rBV	87014	163524	21.58%	2.721%
50	7.684	1970	1973	1974	rBV	526	261	0.03%	0.004%
51	7.896	2026	2039	2057	rVV	300781	524860	69.27%	8.734%
52	7.996	2060	2070	2082	rVB5	4856	10285	1.36%	0.171%
53	8.079	2092	2096	2100	rBV3	380	394	0.05%	0.007%
54	8.131	2109	2112	2114	rBV	258	194	0.03%	0.003%
55	8.182	2115	2128	2149	rVV2	58410	111010	14.65%	1.847%
56	8.330	2171	2174	2176	rBV	374	180	0.02%	0.003%
57	8.353	2176	2181	2184	rBV2	690	539	0.07%	0.009%
58	8.552	2230	2243	2258	rVV3	20596	33240	4.39%	0.553%
59	8.648	2258	2273	2310	rVV2	235401	553674	73.07%	9.213%
60	8.777	2310	2313	2314	rVV	879	603	0.08%	0.010%
61	8.796	2314	2319	2329	rVB5	2484	4364	0.58%	0.073%
62	8.915	2351	2356	2357	rBV	357	245	0.03%	0.004%
63	8.925	2357	2359	2361	rVV	318	154	0.02%	0.003%
64	9.092	2407	2411	2413	rBV	257	242	0.03%	0.004%
65	9.333	2484	2486	2489	rVB	309	172	0.02%	0.003%
66	9.356	2489	2493	2497	rBV2	207	184	0.02%	0.003%
67	9.420	2497	2513	2533	rBV	291327	524476	69.22%	8.727%
68	9.661	2583	2588	2595	rBV	252	292	0.04%	0.005%
69	9.751	2610	2616	2617	rBV	209	195	0.03%	0.003%
70	9.796	2626	2630	2631	rBV	276	200	0.03%	0.003%
71	9.922	2666	2669	2675	rBV	539	563	0.07%	0.009%
72	10.102	2717	2725	2729	rBV3	603	812	0.11%	0.014%
73	10.131	2731	2734	2738	rVB2	372	309	0.04%	0.005%
74	10.156	2738	2742	2747	rBV2	279	346	0.05%	0.006%
75	10.295	2781	2785	2788	rBV	251	183	0.02%	0.003%
76	10.427	2822	2826	2830	rBV2	276	358	0.05%	0.006%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU072122\
 Data File : VU049830.D
 Acq On : 21 Jul 2022 15:23
 Operator : SY/MD
 Sample : N3744-16ME
 Misc : 4.99g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F5D02ME

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM071122WMA.M
 Title : VOC Analysis

77	10.536	2857	2860	2869	rVB	391	402	0.05%	0.007%
78	10.664	2897	2900	2904	rBV2	207	187	0.02%	0.003%
79	10.764	2915	2931	2951	rBV	282323	469122	61.91%	7.806%
80	11.118	3036	3041	3046	rVB2	842	622	0.08%	0.010%
81	11.176	3057	3059	3064	rBV2	207	168	0.02%	0.003%
82	11.362	3114	3117	3121	rBV2	302	358	0.05%	0.006%
83	11.394	3122	3127	3131	rVV2	345	453	0.06%	0.008%
84	11.603	3189	3192	3195	rBV2	234	189	0.02%	0.003%
85	11.722	3226	3229	3232	rBV2	232	210	0.03%	0.003%
86	11.816	3246	3258	3275	rBV	302069	473857	62.54%	7.885%
87	12.124	3351	3354	3357	rBV	264	196	0.03%	0.003%
88	12.198	3364	3377	3400	rBV	300670	495862	65.44%	8.251%
89	12.693	3528	3531	3536	rBV2	339	363	0.05%	0.006%
90	12.854	3579	3581	3585	rVB	300	199	0.03%	0.003%
91	12.934	3605	3606	3612	rVB2	343	172	0.02%	0.003%
92	12.983	3618	3621	3629	rVB2	262	269	0.04%	0.004%
93	14.069	3955	3959	3961	rBV	390	319	0.04%	0.005%
94	14.111	3967	3972	3974	rBV4	544	572	0.08%	0.010%
95	14.269	4018	4021	4023	rBV	392	264	0.03%	0.004%
96	14.378	4051	4055	4059	rBV3	459	446	0.06%	0.007%
97	14.555	4107	4110	4112	rBV	487	269	0.04%	0.004%
98	14.581	4112	4118	4126	rVV	720	1126	0.15%	0.019%
99	14.796	4183	4185	4187	rBV2	291	155	0.02%	0.003%
100	15.478	4393	4397	4400	rBV3	468	419	0.06%	0.007%

Sum of corrected areas: 6009556

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU072122\
Data File : VU049830.D
Acq On : 21 Jul 2022 15:23
Operator : SY/MD
Sample : N3744-16ME
Misc : 4.99g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F5D02ME

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM071122WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU072122\
Data File : VU049830.D
Acq On : 21 Jul 2022 15:23
Operator : SY/MD
Sample : N3744-16ME
Misc : 4.99g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F5D02ME

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM071122WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------