

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU072318\
 Data File : VU025609.D
 Acq On : 23 Jul 2018 18:18
 Operator : MD/SY
 Sample : J4072-02
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 JJ1T1

Quant Time: Jul 24 09:11:04 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM072018WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jul 24 02:07:37 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	315149	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	292330	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	149722	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	63988	35.57	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	71.14%
7) Chloroethane-d5	1.68	69	58032	39.10	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	78.20%
11) 1,1-Dichloroethene-d2	2.27	63	110350	29.46	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	58.92%#
21) 2-Butanone-d5	4.18	46	156310	112.53	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	112.53%
24) Chloroform-d	4.65	84	172530	43.05	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	86.10%
26) 1,2-Dichloroethane-d4	5.31	65	120616	45.51	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.02%
32) Benzene-d6	5.35	84	327115	43.63	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.26%
36) 1,2-Dichloropropane-d6	6.34	67	108609	44.96	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	89.92%
41) Toluene-d8	7.57	98	307378	42.75	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	85.50%
43) trans-1,3-Dichloropropene-	7.85	79	52194	42.30	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	84.60%
47) 2-Hexanone-d5	8.31	63	116570	115.24	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	115.24%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	157737	46.69	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	93.38%
64) 1,2-Dichlorobenzene-d4	11.86	152	137966	45.47	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.94%

Target Compounds

					Ovalue
13) Acetone	2.32	43	12919	7.92	ug/L 100
14) Carbon disulfide	2.48	76	10333	1.78	ug/L # 95
15) Methyl Acetate	2.62	43	5084	2.26	ug/L 92
16) Methylene chloride	2.70	84	4831	2.18	ug/L 98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU072318\
Data File : VU025609.D
Acq On : 23 Jul 2018 18:18
Operator : MD/SY
Sample : J4072-02
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
JJ1T1

Quant Time: Jul 24 09:11:04 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM072018WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Jul 24 02:07:37 2018
Response via : Initial Calibration

