

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU072318\
 Data File : VU025616.D
 Acq On : 23 Jul 2018 21:01
 Operator : MD/SY
 Sample : VLEB#03
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VLEB#03

Quant Time: Jul 24 04:01:53 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM072018WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jul 24 02:07:37 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	315389	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	293819	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	152594	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	95646	53.12	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	106.24%
7) Chloroethane-d5	1.68	69	74976	50.48	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	100.96%
11) 1,1-Dichloroethene-d2	2.27	63	140046	37.36	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	74.72%
21) 2-Butanone-d5	4.18	46	173323	124.69	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	124.69%
24) Chloroform-d	4.65	84	198194	49.42	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.84%
26) 1,2-Dichloroethane-d4	5.31	65	139597	52.63	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	105.26%
32) Benzene-d6	5.35	84	387095	51.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.74%
36) 1,2-Dichloropropane-d6	6.34	67	124775	51.39	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	102.78%
41) Toluene-d8	7.57	98	371226	51.37	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.74%
43) trans-1,3-Dichloropropene-	7.85	79	62143	50.10	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	100.20%
47) 2-Hexanone-d5	8.31	63	132670	130.49	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	130.49%#
57) 1,1,2,2-Tetrachloroethane-	10.44	84	178848	52.67	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	105.34%
64) 1,2-Dichlorobenzene-d4	11.86	152	159350	51.53	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.06%

Target Compounds

						Ovalue
13) Acetone	2.32	43	9043	5.54	ug/L	99
15) Methyl Acetate	2.62	43	5398	2.39	ug/L	93
16) Methylene chloride	2.70	84	115191	51.95	ug/L	98
22) 2-Butanone	4.27	43	4035	2.22	ug/L	77

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU072318\
Data File : VU025616.D
Acq On : 23 Jul 2018 21:01
Operator : MD/SY
Sample : VLEB#03
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VLEB#03

Quant Time: Jul 24 04:01:53 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM072018WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Jul 24 02:07:37 2018
Response via : Initial Calibration

