

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU072324\
 Data File : VU060112.D
 Acq On : 23 Jul 2024 14:10
 Operator : MD/SY
 Sample : P3325-03
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0B31

Quant Time: Jul 24 04:21:33 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR071824WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Jul 24 04:18:44 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	149790	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.415	117	160469	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.811	152	67823	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	51169	4.910	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	98.200%
7) Chloroethane-d5	1.908	69	43971	4.542	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	90.800%
11) 1,1-Dichloroethene-d2	2.560	65	18894	4.643	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	92.800%
20) 2-Butanone-d5	4.621	46	95276	39.103	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	78.200%
24) Chloroform-d	5.055	84	91364	4.171	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	83.400%
26) 1,2-Dichloroethane-d4	5.698	65	44451	4.358	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	87.200%
32) Benzene-d6	5.721	84	184046	4.281	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	85.600%
36) 1,2-Dichloropropane-d6	6.686	67	57711	4.212	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	84.200%
41) Toluene-d8	7.894	98	152600	3.928	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	78.600%
43) trans-1,3-Dichloroprop...	8.177	79	18580	3.984	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	79.600%
46) 2-Hexanone-d5	8.628	63	72032	34.807	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	69.620%
56) 1,1,2,2-Tetrachloroeth...	10.753	84	48289	3.960	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	79.200%
66) 1,2-Dichlorobenzene-d4	12.190	152	57943	4.733	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	94.600%
Target Compounds					Qvalue	
16) Methylene chloride	3.043	84	2725	0.194	ug/L	89


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU072324\
Data File : VU060112.D
Acq On : 23 Jul 2024 14:10
Operator : MD/SY
Sample : P3325-03
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0B31


Quant Time: Jul 24 04:21:33 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR071824WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Jul 24 04:18:44 2024
Response via : Initial Calibration





#16
Methylene chloride
Concen: 0.194 ug/L
RT: 3.043 min Scan# 54
Delta R.T. 0.003 min
Lab File: VU060112.D
Acq: 23 Jul 2024 14:10

Instrument :
MSVOA_U
ClientSampleId :
C0B31



Tgt Ion:	84	Resp:	2725
Ion	Ratio	Lower	Upper
84	100		
86	65.6	44.4	82.5
49	86.1	72.0	133.6

