

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU072324\
 Data File : VU060136.D
 Acq On : 24 Jul 2024 01:14
 Operator : MD/SY
 Sample : P3300-22
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 E1GB8

Manual Integrations
 APPROVED

Reviewed By :Mahesh Dadoda 07/26/2024
 Supervised By :Semsettin Yesilyurt 07/26/2024

Quant Time: Jul 24 05:58:35 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR071824WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Jul 24 05:34:19 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	154788	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	160919	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.808	152	73478	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	51990	4.827	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	96.600%
7) Chloroethane-d5	1.911	69	46067	4.604	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	92.000%
11) 1,1-Dichloroethene-d2	2.560	65	20106	4.782	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	95.600%
20) 2-Butanone-d5	4.631	46	111798	44.402	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	88.800%
24) Chloroform-d	5.055	84	94594	4.179	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	83.600%
26) 1,2-Dichloroethane-d4	5.695	65	45084	4.278	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	85.600%
32) Benzene-d6	5.721	84	195592	4.537	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	90.800%
36) 1,2-Dichloropropane-d6	6.682	67	61135	4.450	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	89.000%
41) Toluene-d8	7.891	98	165900	4.259	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	85.200%
43) trans-1,3-Dichloroprop...	8.177	79	18323	3.918	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	78.400%
46) 2-Hexanone-d5	8.628	63	83980	40.468	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	80.940%
56) 1,1,2,2-Tetrachloroeth...	10.750	84	51973	4.251	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	85.000%
66) 1,2-Dichlorobenzene-d4	12.187	152	66039	4.979	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	99.600%
Target Compounds					Qvalue	
13) Acetone	2.647	43	28745m	17.258	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU072324\
Data File : VU060136.D
Acq On : 24 Jul 2024 01:14
Operator : MD/SY
Sample : P3300-22
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 37 Sample Multiplier: 1


Instrument :
MSVOA_U
ClientSampleId :
E1GB8

Quant Time: Jul 24 05:58:35 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR071824WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Jul 24 05:34:19 2024
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Mahesh Dadoda 07/26/2024
Supervised By :Semsettin Yesilyurt 07/26/2024





#13

Acetone

Concen: 17.258 ug/L m

RT: 2.647 min Scan# 41

Delta R.T. 0.010 min

Lab File: VU060136.D


Acq: 24 Jul 2024 01:14

Instrument :

MSVOA_U

ClientSampleId :

E1GB8



Tgt Ion: 43 Resp: 2874

Ion Ratio Lower Upper

43 100

58 38.1 0.0 82.2

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 07/26/2024

Supervised By :Semsettin Yesilyurt 07/26/2024

