

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU072420\
 Data File : VU039662.D
 Acq On : 24 Jul 2020 14:43
 Operator : SY/MD
 Sample : L3419-06
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AA4

Quant Time: Jul 25 07:11:47 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM072320WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Jul 25 06:47:25 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.27	114	206179	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	195780	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	92490	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	63152	47.05	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	94.10%
7) Chloroethane-d5	1.92	69	60541	37.64	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	75.28%
11) 1,1-Dichloroethene-d2	2.58	63	101352	35.67	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	71.34%
21) 2-Butanone-d5	4.64	46	140141	90.44	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	90.44%
24) Chloroform-d	5.09	84	141911	47.01	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.02%
26) 1,2-Dichloroethane-d4	5.72	65	100363	46.52	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.04%
32) Benzene-d6	5.75	84	270354	49.73	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.46%
36) 1,2-Dichloropropane-d6	6.71	67	86643	48.60	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	97.20%
41) Toluene-d8	7.91	98	247380	48.36	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.72%
43) trans-1,3-Dichloropropene-	8.19	79	40602	45.12	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	90.24%
47) 2-Hexanone-d5	8.64	63	89171	91.70	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	91.70%
57) 1,1,2,2-Tetrachloroethane-	10.76	84	128025	45.35	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	90.70%
64) 1,2-Dichlorobenzene-d4	12.19	152	97126	48.02	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.04%


Target Compounds					Qvalue
13) Acetone	2.64	43	2466	2.391 ug/L	77


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU072420\
Data File : VU039662.D
Acq On : 24 Jul 2020 14:43
Operator : SY/MD
Sample : L3419-06
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AA4

Quant Time: Jul 25 07:11:47 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM072320WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Jul 25 06:47:25 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 2.391 ug/L
 RT: 2.64 min Scan# 405
 Delta R.T. -0.01 min
 Lab File: VU039662.D
 Acq: 24 Jul 2020 14:43

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AA4

Tgt Ion: 43 Resp: 2466
 Ion Ratio Lower Upper
 43 100
 58 17.4 0.0 59.4

