

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU072519\
Quantitation Report (QT Reviewed)


Data File : VU033431.D
Acq On : 25 Jul 2019 23:46
Operator : JC/SP
Sample : K3976-05
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 39 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0CB9

Manual Integrations
APPROVED

MMDadoda
7/26/2019 10:53:36 AM

Quant Time: Jul 26 07:42:29 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071219WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Jul 26 05:48:12 2019
Response via : Initial Calibration



Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU072519\
Quantitation Report (Qedit)




Data File : VU033431.D
Acq On : 25 Jul 2019 23:46
Operator : JC/SP
Sample : K3976-05
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 39 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0CB9

Manual Integrations
APPROVED

MMDadoda
7/26/2019 10:53:36 AM

Quant Time: Jul 26 05:55:04 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071219WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Jul 26 05:48:12 2019
Response via : Initial Calibration



TIC: VU033431.D

(20) cis-1,2-Dichloroethene (T)

4.199min (+0.003) 1.09ug/L

response 2329

Ion	Exp%	Act%
96.00	100	100
61.00	130.10	146.90
68.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU072519\
Quantitation Report (Qedit)




Data File : VU033431.D
Acq On : 25 Jul 2019 23:46
Operator : JC/SP
Sample : K3976-05
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 39 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0CB9

Manual Integrations
APPROVED

MMDadoda
7/26/2019 10:53:36 AM

Quant Time: Jul 26 05:55:04 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071219WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Jul 26 05:48:12 2019
Response via : Initial Calibration



TIC: VU033431.D

(20) cis-1,2-Dichloroethene (T)

4.199min (+0.003) 1.23ug/L m

response 2624

Ion	Exp%	Act%
96.00	100	100
61.00	130.10	146.90
68.00	0.00	0.00
0.00	0.00	0.00

Handwritten: 7/26/19

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU072519\
Quantitation Report (Qedit)




Data File : VU033431.D
Acq On : 25 Jul 2019 23:46
Operator : JC/SP
Sample : K3976-05
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 39 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0CB9

Manual Integrations
APPROVED

MMDadoda
7/26/2019 10:53:36 AM

Quant Time: Jul 26 05:55:04 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071219WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Jul 26 05:48:12 2019
Response via : Initial Calibration



TIC: VU033431.D

(31) Carbon tetrachloride (T)

5.103min (-0.006) 0.46ug/L

response 1321

Ion	Exp%	Act%
117.00	100	100
119.00	96.10	90.92
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU072519\
Quantitation Report (Qedit)




Data File : VU033431.D
Acq On : 25 Jul 2019 23:46
Operator : JC/SP
Sample : K3976-05
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 39 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0CB9

Manual Integrations
APPROVED

MMDadoda
7/26/2019 10:53:36 AM

Quant Time: Jul 26 05:55:04 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071219WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Jul 26 05:48:12 2019
Response via : Initial Calibration



TIC: VU033431.D

(31) Carbon tetrachloride (T)

5.103min (-0.006) 0.82ug/L m

response 2355

Ion	Exp%	Act%
117.00	100	100
119.00	96.10	51.00#
0.00	0.00	0.00
0.00	0.00	0.00

7m0
7/26/19

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU072519\
Quantitation Report (QT Reviewed)

Data File : VU033431.D
Acq On : 25 Jul 2019 23:46
Operator : JC/SP
Sample : K3976-05
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 39 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0CB9

Manual Integrations
APPROVED

MMDadoda
7/26/2019 10:53:36 AM

Quant Time: Jul 26 07:42:29 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM071219WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Jul 26 05:48:12 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.86	114	274101	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.07	117	281118	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.47	152	123306	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	122672	59.12	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	118.24%
7) Chloroethane-d5	1.67	69	108652	61.30	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	122.60%
11) 1,1-Dichloroethene-d2	2.25	63	161772	42.98	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	85.96%
21) 2-Butanone-d5	4.15	46	142970	108.75	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	108.75%
24) Chloroform-d	4.62	84	185373	53.31	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	106.62%
26) 1,2-Dichloroethane-d4	5.29	65	131791	59.09	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	118.18%
32) Benzene-d6	5.32	84	393177	57.01	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	114.02%
36) 1,2-Dichloropropane-d6	6.31	67	126788	57.39	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	114.78%
41) Toluene-d8	7.55	98	361508	55.59	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	111.18%
43) trans-1,3-Dichloropropene-	7.83	79	56208	51.89	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	103.78%
47) 2-Hexanone-d5	8.29	63	107750	108.19	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	108.19%
57) 1,1,2,2-Tetrachloroethane-	10.41	84	187008	55.93	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	111.86%
64) 1,2-Dichlorobenzene-d4	11.85	152	132351	60.19	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	120.38%#

Target Compounds

					Qvalue	
13) Acetone	2.31	43	2320	1.412	ug/L	92
20) cis-1,2-Dichloroethene	4.20	96	2624m	1.230	ug/L	92
31) Carbon tetrachloride	5.10	117	2355m	0.821	ug/L	97
34) Trichloroethene	6.16	95	2331740	1087.544	ug/L	97
45) 1,1,2-Trichloroethane	8.05	97	1274	0.606	ug/L	92
46) Tetrachloroethene	8.21	164	134668	81.137	ug/L	99

MC
7/26/19

(#) = qualifier out of range (m) = manual integration (+) = signals summed