

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU072618\
 Data File : VU025655.D
 Acq On : 26 Jul 2018 18:08
 Operator : MD/SY
 Sample : J4148-11
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK01

Quant Time: Jul 27 02:05:03 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM072018WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Jul 27 02:03:29 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	282253	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	268619	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	139204	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	69028	42.84	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	85.68%
7) Chloroethane-d5	1.68	69	59219	44.55	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	89.10%
11) 1,1-Dichloroethene-d2	2.27	63	107182	31.95	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	63.90%
21) 2-Butanone-d5	4.18	46	141504	113.75	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	113.75%
24) Chloroform-d	4.65	84	162095	45.16	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.32%
26) 1,2-Dichloroethane-d4	5.31	65	114428	48.21	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.42%
32) Benzene-d6	5.35	84	314326	45.62	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.24%
36) 1,2-Dichloropropane-d6	6.34	67	102795	46.31	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	92.62%
41) Toluene-d8	7.57	98	288077	43.60	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	87.20%
43) trans-1,3-Dichloropropene-	7.85	79	49990	44.09	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	88.18%
47) 2-Hexanone-d5	8.31	63	98990	106.50	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	106.50%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	148170	47.72	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	95.44%
64) 1,2-Dichlorobenzene-d4	11.86	152	129208	45.80	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	91.60%


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
37) 1,2-Dichloropropane	6.33	63	11804	5.597	ug/L	# 88


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU072618\
Data File : VU025655.D
Acq On : 26 Jul 2018 18:08
Operator : MD/SY
Sample : J4148-11
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK01

Quant Time: Jul 27 02:05:03 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM072018WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Jul 27 02:03:29 2018
Response via : Initial Calibration





#37
 1,2-Dichloropropane
 Concen: 5.597 ug/L
 RT: 6.33 min Scan# 1786
 Delta R.T. -0.10 min
 Lab File: VU025655.D
 Acq: 26 Jul 2018 18:08

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK01

Tgt Ion: 63 Resp: 11804
 Ion Ratio Lower Upper
 63 100
 112 0.0 3.3 4.9#

