

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU072618\
 Data File : VU025644.D
 Acq On : 26 Jul 2018 10:55
 Operator : MD/SY
 Sample : VU0726MBL01
 Misc : 5.00g/5mL/100uL/5.00mL/MSVOA_U/MEOH
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK54

Quant Time: Jul 27 02:08:31 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM072018WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Jul 27 02:03:29 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	287439	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	271392	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	141043	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	74873	45.63	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	91.26%
7) Chloroethane-d5	1.68	69	63214	46.70	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	93.40%
11) 1,1-Dichloroethene-d2	2.27	63	120575	35.30	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	70.60%
21) 2-Butanone-d5	4.17	46	131789	104.03	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	104.03%
24) Chloroform-d	4.65	84	169172	46.28	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.56%
26) 1,2-Dichloroethane-d4	5.31	65	117414	48.57	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.14%
32) Benzene-d6	5.35	84	330509	47.48	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.96%
36) 1,2-Dichloropropane-d6	6.33	67	107286	47.84	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	95.68%
41) Toluene-d8	7.57	98	307557	46.08	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.16%
43) trans-1,3-Dichloropropene-	7.85	79	52461	45.79	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	91.58%
47) 2-Hexanone-d5	8.31	63	90237	96.09	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	96.09%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	147869	47.14	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	94.28%
64) 1,2-Dichlorobenzene-d4	11.86	152	134402	47.02	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.04%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU072618\
Data File : VU025644.D
Acq On : 26 Jul 2018 10:55
Operator : MD/SY
Sample : VU0726MBL01
Misc : 5.00µ/5mL/100uL/5.00mL/MSVOA_U/MEOH
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK54

Quant Time: Jul 27 02:08:31 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM072018WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Jul 27 02:03:29 2018
Response via : Initial Calibration

