

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_U\Data\VU072622\  
 Data File : VU049907.D  
 Acq On : 26 Jul 2022 11:53  
 Operator : SY/MD  
 Sample : VU0726WBL01  
 Misc : 25.0mL/MSVOA\_U/WATER  
 ALS Vial : 4 Sample Multiplier: 1

Instrument :  
 MSVOA\_U  
 ClientSampleId :  
 VBLK098

Quant Time: Jul 27 03:56:01 2022  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_U\Method\SFAMUTR072222WMA.M  
 Quant Title : TRACE VOA SFAM1.0  
 QLast Update : Wed Jul 27 03:55:15 2022  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon  | Response | Conc     | Units | Dev(Min) |
|-------------------------------|--------|-------|----------|----------|-------|----------|
| -----                         |        |       |          |          |       |          |
| Internal Standards            |        |       |          |          |       |          |
| 1) 1,4-Difluorobenzene        | 6.250  | 114   | 91609    | 5.000    | ug/L  | 0.00     |
| 28) Chlorobenzene-d5          | 9.417  | 117   | 90927    | 5.000    | ug/L  | 0.00     |
| 58) 1,4-Dichlorobenzene-d4    | 11.812 | 152   | 38635    | 5.000    | ug/L  | 0.00     |
|                               |        |       |          |          |       |          |
| System Monitoring Compounds   |        |       |          |          |       |          |
| 4) Vinyl Chloride-d3          | 1.597  | 65    | 31683    | 4.272    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 40 - 130 | Recovery | =     | 85.400%  |
| 7) Chloroethane-d5            | 1.912  | 69    | 29001    | 4.672    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 65 - 130 | Recovery | =     | 93.400%  |
| 11) 1,1-Dichloroethene-d2     | 2.565  | 65    | 13785    | 4.164    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 60 - 125 | Recovery | =     | 83.200%  |
| 20) 2-Butanone-d5             | 4.642  | 46    | 133635   | 50.078   | ug/L  | 0.00     |
| Spiked Amount                 | 50.000 | Range | 40 - 130 | Recovery | =     | 100.160% |
| 24) Chloroform-d              | 5.063  | 84    | 69319    | 4.197    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 125 | Recovery | =     | 84.000%  |
| 26) 1,2-Dichloroethane-d4     | 5.703  | 65    | 41676    | 4.303    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 130 | Recovery | =     | 86.000%  |
| 32) Benzene-d6                | 5.729  | 84    | 121561   | 3.923    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 125 | Recovery | =     | 78.400%  |
| 36) 1,2-Dichloropropane-d6    | 6.690  | 67    | 45454    | 4.246    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 60 - 140 | Recovery | =     | 85.000%  |
| 41) Toluene-d8                | 7.899  | 98    | 95159    | 3.514    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 130 | Recovery | =     | 70.200%  |
| 43) trans-1,3-Dichloroprop... | 8.182  | 79    | 14986    | 3.856    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 55 - 130 | Recovery | =     | 77.200%  |
| 46) 2-Hexanone-d5             | 8.635  | 63    | 62713    | 40.723   | ug/L  | 0.00     |
| Spiked Amount                 | 50.000 | Range | 45 - 130 | Recovery | =     | 81.440%  |
| 56) 1,1,2,2-Tetrachloroeth... | 10.754 | 84    | 38953    | 4.333    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 65 - 120 | Recovery | =     | 86.600%  |
| 66) 1,2-Dichlorobenzene-d4    | 12.195 | 152   | 33555    | 4.208    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 80 - 120 | Recovery | =     | 84.200%  |

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_U\Data\VU072622\  
Data File : VU049907.D  
Acq On : 26 Jul 2022 11:53  
Operator : SY/MD  
Sample : VU0726WBL01  
Misc : 25.0mL/MSVOA\_U/WATER  
ALS Vial : 4 Sample Multiplier: 1

Instrument :  
MSVOA\_U  
ClientSampleId :  
VBLK098

Quant Time: Jul 27 03:56:01 2022  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_U\Method\SFAMUTR072222WMA.M  
Quant Title : TRACE VOA SFAM1.0  
QLast Update : Wed Jul 27 03:55:15 2022  
Response via : Initial Calibration

