

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU072822\
 Data File : VU050005.D
 Acq On : 28 Jul 2022 23:46
 Operator : SY/MD
 Sample : N3879-15DL 40X
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DBUH9DL

Quant Time: Jul 29 06:40:06 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR072722WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Jul 29 05:04:48 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.250	114	82528	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.420	117	83300	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	31629	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.597	65	30633	4.323	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	86.400%	
7) Chloroethane-d5	1.912	69	25977	5.104	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	102.000%	
11) 1,1-Dichloroethene-d2	2.562	65	11373	4.657	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	93.200%	
20) 2-Butanone-d5	4.662	46	76730	48.645	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	97.280%	
24) Chloroform-d	5.063	84	57781	4.928	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	98.600%	
26) 1,2-Dichloroethane-d4	5.707	65	31114	5.266	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	105.400%	
32) Benzene-d6	5.726	84	113205	4.599	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	92.000%	
36) 1,2-Dichloropropane-d6	6.694	67	39238	4.866	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	97.400%	
41) Toluene-d8	7.899	98	87625	4.005	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	80.200%	
43) trans-1,3-Dichloroprop...	8.182	79	12466	4.411	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	88.200%	
46) 2-Hexanone-d5	8.642	63	48619	45.954	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	91.900%	
56) 1,1,2,2-Tetrachloroeth...	10.758	84	35259	5.204	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	104.000%	
66) 1,2-Dichlorobenzene-d4	12.195	152	29390	5.010	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	100.200%	
Target Compounds						Qvalue
47) Tetrachloroethene	8.552	164	15940	3.748	ug/L	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU072822\
Data File : VU050005.D
Acq On : 28 Jul 2022 23:46
Operator : SY/MD
Sample : N3879-15DL 40X
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 29 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DBUH9DL

Quant Time: Jul 29 06:40:06 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR072722WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Jul 29 05:04:48 2022
Response via : Initial Calibration

