

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU072822\
 Data File : VU050009.D
 Acq On : 29 Jul 2022 01:24
 Operator : SY/MD
 Sample : N3879-11
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DBUH3

Quant Time: Jul 29 06:40:59 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR072722WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Jul 29 05:04:48 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.250	114	78546	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.417	117	78585	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	30672	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.597	65	31381	4.653	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	93.000%	
7) Chloroethane-d5	1.912	69	26738	5.520	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	110.400%	
11) 1,1-Dichloroethene-d2	2.565	65	11865	5.105	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	102.000%	
20) 2-Butanone-d5	4.639	46	89944	59.913	ug/L	-0.02
Spiked Amount	50.000	Range 40 - 130	Recovery	=	119.820%	
24) Chloroform-d	5.067	84	60744	5.443	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	108.800%	
26) 1,2-Dichloroethane-d4	5.703	65	31535	5.608	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	112.200%	
32) Benzene-d6	5.729	84	117045	5.040	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	100.800%	
36) 1,2-Dichloropropane-d6	6.694	67	39943	5.250	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	105.000%	
41) Toluene-d8	7.899	98	93186	4.515	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	90.200%	
43) trans-1,3-Dichloroprop...	8.182	79	12381	4.644	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	92.800%	
46) 2-Hexanone-d5	8.636	63	49212	49.305	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	98.600%	
56) 1,1,2,2-Tetrachloroeth...	10.758	84	35532	5.559	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	111.200%	
66) 1,2-Dichlorobenzene-d4	12.192	152	31163	5.478	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	109.600%	
Target Compounds						Qvalue
47) Tetrachloroethene	8.555	164	2447	0.610	ug/L	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU072822\
Data File : VU050009.D
Acq On : 29 Jul 2022 01:24
Operator : SY/MD
Sample : N3879-11
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 33 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DBUH3

Quant Time: Jul 29 06:40:59 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR072722WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Jul 29 05:04:48 2022
Response via : Initial Calibration

