

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU072822\
 Data File : VU050014.D
 Acq On : 29 Jul 2022 03:27
 Operator : SY/MD
 Sample : N3950-03
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 38 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0CB1

Quant Time: Jul 29 06:42:04 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR072722WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Jul 29 05:04:48 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.250	114	79857	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.420	117	79196	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	30078	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.597	65	29828	4.350	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	87.000%	
7) Chloroethane-d5	1.912	69	25428	5.163	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	103.200%	
11) 1,1-Dichloroethene-d2	2.565	65	11186	4.734	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	94.600%	
20) 2-Butanone-d5	4.633	46	88890	58.239	ug/L	-0.02
Spiked Amount	50.000	Range 40 - 130	Recovery	=	116.480%	
24) Chloroform-d	5.063	84	58913	5.192	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	103.800%	
26) 1,2-Dichloroethane-d4	5.703	65	31405	5.493	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	109.800%	
32) Benzene-d6	5.729	84	114678	4.900	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	98.000%	
36) 1,2-Dichloropropane-d6	6.690	67	39742	5.184	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	103.600%	
41) Toluene-d8	7.899	98	89837	4.319	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	86.400%	
43) trans-1,3-Dichloroprop...	8.179	79	11885	4.423	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	88.400%	
46) 2-Hexanone-d5	8.636	63	47220	46.944	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	93.880%	
56) 1,1,2,2-Tetrachloroeth...	10.758	84	34836	5.408	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	108.200%	
66) 1,2-Dichlorobenzene-d4	12.192	152	30822	5.525	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	110.400%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU072822\
Data File : VU050014.D
Acq On : 29 Jul 2022 03:27
Operator : SY/MD
Sample : N3950-03
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 38 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0CB1

Quant Time: Jul 29 06:42:04 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR072722WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Jul 29 05:04:48 2022
Response via : Initial Calibration

