

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU072924\
 Data File : VU060252.D
 Acq On : 29 Jul 2024 15:42
 Operator : MD/SY
 Sample : P3359-17
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 E1GF6

Manual Integrations
 APPROVED

Reviewed By :Mahesh Dadoda 07/30/2024
 Supervised By :Semsettin Yesilyurt 07/30/2024

Quant Time: Jul 30 04:23:10 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR071824WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Jul 30 04:21:24 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	135645	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	144150	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	61320	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	35305	3.741	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	74.800%	
7) Chloroethane-d5	1.911	69	37101	4.232	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	84.600%	
11) 1,1-Dichloroethene-d2	2.560	65	13827	3.752	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	75.000%	
20) 2-Butanone-d5	4.621	46	141935	64.327	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	128.660%	
24) Chloroform-d	5.055	84	88797	4.477	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	89.600%	
26) 1,2-Dichloroethane-d4	5.695	65	44852	4.856	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	97.200%	
32) Benzene-d6	5.721	84	154213	3.993	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	79.800%	
36) 1,2-Dichloropropane-d6	6.685	67	59458	4.831	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	96.600%	
41) Toluene-d8	7.894	98	113478	3.252	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	65.000%#	
43) trans-1,3-Dichloroprop...	8.177	79	17706	4.227	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	84.600%	
46) 2-Hexanone-d5	8.627	63	97293	52.337	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	104.680%	
56) 1,1,2,2-Tetrachloroeth...	10.749	84	56095	5.121	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	102.400%	
66) 1,2-Dichlorobenzene-d4	12.187	152	54054	4.884	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	97.600%	
Target Compounds					Qvalue	
13) Acetone	2.634	43	37468m	25.670	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU072924\
Data File : VU060252.D
Acq On : 29 Jul 2024 15:42
Operator : MD/SY
Sample : P3359-17
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 10 Sample Multiplier: 1


Instrument :
MSVOA_U
ClientSampleId :
E1GF6

Manual Integrations
APPROVED

Reviewed By :Mahesh Dadoda 07/30/2024
Supervised By :Semsettin Yesilyurt 07/30/2024


Quant Time: Jul 30 04:23:10 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR071824WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Jul 30 04:21:24 2024
Response via : Initial Calibration





#13
Acetone
Concen: 25.670 ug/L m
RT: 2.634 min Scan# 41
Delta R.T. -0.000 min
Lab File: VU060252.D
Acq: 29 Jul 2024 15:42

Instrument :
MSVOA_U
ClientSampleId :
E1GF6



Tgt Ion: 43 Resp: 37468
Ion Ratio Lower Upper
43 100
58 38.2 0.0 82.2

Manual Integrations
APPROVED

Reviewed By :Mahesh Dadoda 07/30/2024
Supervised By :Semsettin Yesilyurt 07/30/2024

