

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU073119\
 Data File : VU033517.D
 Acq On : 31 Jul 2019 11:53
 Operator : JC/SP
 Sample : K4103-04 50X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB9D8

Quant Time: Aug 01 07:50:25 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM073119WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Aug 01 07:20:33 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.86	114	307061	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.07	117	305202	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.47	152	138421	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	110153	49.34	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	98.68%
7) Chloroethane-d5	1.67	69	95795	50.01	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	100.02%
11) 1,1-Dichloroethene-d2	2.26	63	149669	36.94	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	73.88%
21) 2-Butanone-d5	4.15	46	159539	107.89	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	107.89%
24) Chloroform-d	4.62	84	192291	51.38	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.76%
26) 1,2-Dichloroethane-d4	5.29	65	125488	52.95	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	105.90%
32) Benzene-d6	5.32	84	394855	52.19	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.38%
36) 1,2-Dichloropropane-d6	6.31	67	126897	53.50	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	107.00%
41) Toluene-d8	7.55	98	352729	49.75	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.50%
43) trans-1,3-Dichloropropene-	7.83	79	58208	49.48	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	98.96%
47) 2-Hexanone-d5	8.30	63	117758	104.58	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	104.58%
57) 1,1,2,2-Tetrachloroethane-	10.41	84	186234	50.92	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	101.84%
64) 1,2-Dichlorobenzene-d4	11.84	152	138992	54.83	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	109.66%


Target Compounds					Ovalue
34) Trichloroethene	6.17	95	1535	0.661 ug/L	88




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU073119\
Data File : VU033517.D
Acq On : 31 Jul 2019 11:53
Operator : JC/SP
Sample : K4103-04 50X
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB9D8

Quant Time: Aug 01 07:50:25 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM073119WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Aug 01 07:20:33 2019
Response via : Initial Calibration





#34

Trichloroethene

Concen: 0.661 ug/L

RT: 6.17 min Scan# 1580

Delta R.T. 0.01 min

Lab File: VU033517.D

Acq: 31 Jul 2019 11:53

Instrument :

MSVOA_U

ClientSampleId :

DB9D8

Tot Ion: 95 Resp: 1535

Ion Ratio Lower Upper

95 100

97 69.8 44.7 83.1

132 81.0 66.8 124.0

130 90.9 71.6 133.0

