

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU073119\
 Data File : VU033530.D
 Acq On : 31 Jul 2019 17:14
 Operator : JC/SP
 Sample : VIBLK42
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VIBLK42

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM073119WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.389	86	93	107	rVB	142043	149985	14.81%	1.806%
2	1.669	173	180	194	rVB	122229	151510	14.96%	1.825%
3	2.258	353	363	377	rVB	224804	338950	33.47%	4.082%
4	2.759	517	519	522	rVB2	188	63	0.01%	0.001%
5	2.778	522	525	526	rBV	212	131	0.01%	0.002%
6	2.817	526	537	553	rVV	5934	12055	1.19%	0.145%
7	3.081	616	619	623	rBV	448	340	0.03%	0.004%
8	3.145	636	639	641	rBV2	102	55	0.01%	0.001%
9	3.193	652	654	656	rBV	196	79	0.01%	0.001%
10	3.245	668	670	672	rVV	302	79	0.01%	0.001%
11	3.254	672	673	674	rVB	140	27	0.00%	0.000%
12	3.434	727	729	731	rBV	169	72	0.01%	0.001%
13	3.508	749	752	755	rBV	139	102	0.01%	0.001%
14	3.540	760	762	767	rVV2	192	135	0.01%	0.002%
15	3.585	773	776	780	rBV2	187	151	0.01%	0.002%
16	3.621	785	787	789	rBV2	195	111	0.01%	0.001%
17	3.666	799	801	804	rVB2	180	83	0.01%	0.001%
18	3.711	812	815	817	rBV2	254	154	0.02%	0.002%
19	3.753	826	828	830	rVB	149	62	0.01%	0.001%
20	3.769	830	833	835	rBV2	142	94	0.01%	0.001%
21	3.849	857	858	864	rVB	252	167	0.02%	0.002%
22	3.878	865	867	869	rBV	185	85	0.01%	0.001%
23	3.971	892	896	898	rBV	161	101	0.01%	0.001%
24	4.052	918	921	924	rBV2	226	131	0.01%	0.002%
25	4.151	940	952	983	rBV	95099	275326	27.19%	3.316%
26	4.621	1082	1098	1123	rBV	168697	410047	40.50%	4.938%
27	4.936	1190	1196	1198	rBV2	242	172	0.02%	0.002%
28	4.965	1198	1205	1209	rBV4	665	870	0.09%	0.010%
29	5.039	1226	1228	1230	rBV	56	22	0.00%	0.000%
30	5.055	1230	1233	1236	rBV2	94	62	0.01%	0.001%
31	5.077	1236	1240	1243	rVV2	129	114	0.01%	0.001%
32	5.122	1252	1254	1256	rVB	77	34	0.00%	0.000%
33	5.138	1256	1259	1260	rBV	103	57	0.01%	0.001%
34	5.187	1272	1274	1275	rBV	144	73	0.01%	0.001%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU073119\
 Data File : VU033530.D
 Acq On : 31 Jul 2019 17:14
 Operator : JC/SP
 Sample : VIBLK42
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VIBLK42

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM073119WMA.M
 Title : VOC Analysis

35	5.219	1281	1284	1287	rBV2	192	104	0.01%	0.001%
36	5.315	1287	1314	1351	rBV2	340315	1012582	100.00%	12.195%
37	5.524	1377	1379	1385	rBV3	368	330	0.03%	0.004%
38	5.724	1440	1441	1442	rBV	223	73	0.01%	0.001%
39	5.810	1465	1468	1471	rVB2	371	217	0.02%	0.003%
40	5.865	1471	1485	1509	rBV	356042	711442	70.26%	8.568%
41	6.109	1558	1561	1563	rBV2	289	173	0.02%	0.002%
42	6.167	1569	1579	1595	rBV4	14299	28095	2.77%	0.338%
43	6.309	1609	1623	1647	rBV	228551	459464	45.38%	5.534%
44	6.476	1673	1675	1677	rBV	290	97	0.01%	0.001%
45	6.521	1687	1689	1693	rVB2	216	151	0.01%	0.002%
46	6.544	1693	1696	1699	rBV	253	137	0.01%	0.002%
47	6.563	1699	1702	1703	rBV	101	68	0.01%	0.001%
48	6.621	1717	1720	1727	rVB2	235	260	0.03%	0.003%
49	6.656	1727	1731	1732	rBV	122	78	0.01%	0.001%
50	6.675	1734	1737	1739	rVV2	178	90	0.01%	0.001%
51	6.691	1739	1742	1744	rVV2	166	98	0.01%	0.001%
52	6.740	1756	1757	1758	rBV2	112	23	0.00%	0.000%
53	6.775	1765	1768	1771	rBV2	158	87	0.01%	0.001%
54	6.794	1771	1774	1778	rVB2	141	121	0.01%	0.001%
55	6.817	1778	1781	1783	rBV2	164	107	0.01%	0.001%
56	6.855	1791	1793	1795	rBV	124	69	0.01%	0.001%
57	6.884	1799	1802	1804	rVB2	253	100	0.01%	0.001%
58	6.929	1811	1816	1818	rBV2	174	164	0.02%	0.002%
59	6.965	1823	1827	1830	rBV	239	167	0.02%	0.002%
60	7.029	1842	1847	1851	rBV2	163	158	0.02%	0.002%
61	7.068	1851	1859	1864	rBV2	593	853	0.08%	0.010%
62	7.209	1892	1903	1928	rBV	124783	225731	22.29%	2.719%
63	7.460	1979	1981	1984	rVB3	342	170	0.02%	0.002%
64	7.547	1995	2008	2042	rBV	449934	782306	77.26%	9.422%
65	7.791	2081	2084	2086	rBV2	380	185	0.02%	0.002%
66	7.833	2086	2097	2115	rBV	90357	154847	15.29%	1.865%
67	8.039	2157	2161	2163	rBV2	192	148	0.01%	0.002%
68	8.106	2179	2182	2184	rBV2	404	181	0.02%	0.002%
69	8.296	2230	2241	2275	rBV	298860	527324	52.08%	6.351%
70	8.733	2376	2377	2379	rBV	160	55	0.01%	0.001%
71	8.756	2382	2384	2388	rBV	267	161	0.02%	0.002%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU073119\
 Data File : VU033530.D
 Acq On : 31 Jul 2019 17:14
 Operator : JC/SP
 Sample : VIBLK42
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VIBLK42

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM073119WMA.M
 Title : VOC Analysis

72	8.817	2400	2403	2405	rBV2	171	103	0.01%	0.001%
73	8.920	2432	2435	2437	rBV2	199	120	0.01%	0.001%
74	9.071	2470	2482	2509	rBV	541942	907065	89.58%	10.924%
75	9.293	2549	2551	2554	rVB2	330	139	0.01%	0.002%
76	9.351	2564	2569	2571	rBV2	401	378	0.04%	0.005%
77	9.367	2572	2574	2579	rVB2	477	375	0.04%	0.005%
78	9.402	2583	2585	2587	rBV	238	160	0.02%	0.002%
79	9.495	2611	2614	2617	rBV	285	189	0.02%	0.002%
80	9.630	2654	2656	2660	rBV2	259	207	0.02%	0.002%
81	9.662	2664	2666	2667	rBV	304	101	0.01%	0.001%
82	9.794	2705	2707	2709	rVB	284	94	0.01%	0.001%
83	9.875	2729	2732	2735	rBV	233	182	0.02%	0.002%
84	9.994	2766	2769	2772	rBV	248	146	0.01%	0.002%
85	10.135	2809	2813	2815	rBV2	352	258	0.03%	0.003%
86	10.158	2818	2820	2823	rVV	230	117	0.01%	0.001%
87	10.215	2835	2838	2839	rBV	151	66	0.01%	0.001%
88	10.241	2844	2846	2849	rVB	209	86	0.01%	0.001%
89	10.347	2873	2879	2881	rBV2	389	365	0.04%	0.004%
90	10.415	2888	2900	2923	rBV	350579	554767	54.79%	6.681%
91	10.521	2930	2933	2935	rVB2	304	175	0.02%	0.002%
92	11.241	3155	3157	3165	rVB2	238	229	0.02%	0.003%
93	11.466	3215	3227	3253	rBV	532112	843043	83.26%	10.153%
94	11.727	3304	3308	3310	rBV3	527	389	0.04%	0.005%
95	11.846	3332	3345	3367	rBV	457485	746605	73.73%	8.992%


Sum of corrected areas: 8303274

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU073119\
Data File : VU033530.D
Acq On : 31 Jul 2019 17:14
Operator : JC/SP
Sample : VIBLK42
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VIBLK42

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM073119WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU073119\
Data File : VU033530.D
Acq On : 31 Jul 2019 17:14
Operator : JC/SP
Sample : VIBLK42
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VIBLK42

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM073119WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU073119\
Data File : VU033530.D
Acq On : 31 Jul 2019 17:14
Operator : JC/SP
Sample : VIBLK42
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VIBLK42

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM073119WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc