

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU080118\
 Data File : VU025750.D
 Acq On : 31 Jul 2018 19:41
 Operator : MD/SY
 Sample : J4226-02
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 STORAGEBLANK-SOILREF-5

Quant Time: Aug 01 05:44:40 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U072718W.M
 Quant Title : SW846 8260
 QLast Update : Tue Jul 31 16:07:47 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	4.99	168	191043	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	5.89	114	304005	50.00	ug/l	0.00
63) Chlorobenzene-d5	9.09	117	299486	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	11.49	152	181617	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	5.31	65	147055	49.40	ug/l	0.00
Spiked Amount				50.000		
			Recovery	=	98.80%	
35) Dibromofluoromethane	4.89	113	123608	46.75	ug/l	0.00
Spiked Amount				50.000		
			Recovery	=	93.50%	
50) Toluene-d8	7.57	98	444505	48.04	ug/l	0.00
Spiked Amount				50.000		
			Recovery	=	96.08%	
62) 4-Bromofluorobenzene	10.31	95	172860	48.13	ug/l	0.00
Spiked Amount				50.000		
			Recovery	=	96.26%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU080118\
Data File : VU025750.D
Acq On : 31 Jul 2018 19:41
Operator : MD/SY
Sample : J4226-02
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
STORAGEBLANK-SOILREF-5

Quant Time: Aug 01 05:44:40 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\82U072718W.M
Quant Title : SW846 8260
QLast Update : Tue Jul 31 16:07:47 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 4.99 min Scan# 1368

Delta R.T. 0.00 min

Lab File: VU025750.D

Acq: 31 Jul 2018 19:41

Instrument :

MSVOA_U

ClientSampleId :


STORAGEBLANK-SOILREF-5

Tot Ion:168 Resp: 191043

Ion Ratio Lower Upper




168 100

99 53.9 42.8 64.2



Abundance Ion 167.90 (167.60 to 168.60): VU025750.D (-1275) (-)

Ion 98.90 (98.60 to 99.60): VU025750.D (-1275) (-)



#33

1,2-Dichloroethane-d4

Concen: 49.403 ug/l

RT: 5.31 min Scan# 1469

Delta R.T. 0.00 min

Lab File: VU025750.D


Acq: 31 Jul 2018 19:41

Tgt Ion: 65 Resp: 147055

Ion Ratio Lower Upper



65 100


67 51.9 0.0 103.6



Abundance Ion 64.90 (64.60 to 65.60): VU025750.D (-1376) (-)

Ion 66.90 (66.60 to 67.60): VU025750.D (-1376) (-)





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 5.89 min Scan# 1648

Delta R.T. 0.00 min

Lab File: VU025750.D

Acq: 31 Jul 2018 19:41

Instrument :

MSVOA_U

ClientSampleId :

STORAGEBLANK-SOILREF-5


Tot Ion:114 Resp: 304005

Ion Ratio Lower Upper

114 100

63 20.2 0.0 41.6




88 15.6 0.0 32.4



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VU0

Ion 87.90 (87.60 to 88.60): VU0



#35

Dibromofluoromethane

Concen: 46.749 ug/l

RT: 4.89 min Scan# 1336

Delta R.T. -0.00 min

Lab File: VU025750.D

Acq: 31 Jul 2018 19:41


Tgt Ion:113 Resp: 123608

Ion Ratio Lower Upper

113 100

111 101.6 81.7 122.5



192 21.6 17.1 25.7




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 48.041 ug/l

RT: 7.57 min Scan# 2171

Delta R.T. 0.00 min

Lab File: VU025750.D

Acq: 31 Jul 2018 19:41

Instrument :

MSVOA_U

ClientSampleId :


STORAGEBLANK-SOILREF-5

Tot Ion: 98 Resp: 444505

Ion Ratio Lower Upper




98 100

100 64.5 51.1 76.7



Abundance Ion 98.00 (97.70 to 98.70): VU025661.D (-2154) (-)

Ion 100.00 (99.70 to 100.70): VU025661.D (-2154) (-)



#62

4-Bromofluorobenzene

Concen: 48.133 ug/l

RT: 10.31 min Scan# 3023

Delta R.T. 0.00 min

Lab File: VU025750.D

Acq: 31 Jul 2018 19:41


Tgt Ion: 95 Resp: 172860

Ion Ratio Lower Upper

95 100

174 87.6 0.0 172.2



176 84.4 0.0 162.6




Abundance Ion 94.90 (94.60 to 95.60): VU025661.D (-3010) (-)

Ion 173.80 (173.50 to 174.50): VU025661.D (-3010) (-)

Ion 175.80 (175.50 to 176.50): VU025661.D (-3010) (-)






#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 9.09 min Scan# 2645
Delta R.T. 0.00 min
Lab File: VU025750.D
Acq: 31 Jul 2018 19:41

Instrument :
MSVOA_U
ClientSampleId :
STORAGEBLANK-SOILREF-5

Tot Ion	Ratio	Lower	Upper
117	100		
82	53.8	46.0	69.0
119	32.3	26.0	39.0






Abundance

Ion 116.90 (116.60 to 117.60): V


Ion 82.00 (81.70 to 82.70): V

Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 11.49 min Scan# 3389
Delta R.T. 0.00 min
Lab File: VU025750.D
Acq: 31 Jul 2018 19:41

Tgt Ion	Ratio	Lower	Upper
152	100		
115	57.1	40.1	120.3
150	155.4	0.0	351.4



Abundance

Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V

