

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU080119\
 Data File : VU033554.D
 Acq On : 01 Aug 2019 17:07
 Operator : JC/SP
 Sample : K4116-22
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK02

Quant Time: Aug 02 03:51:32 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM073119WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Aug 02 02:28:15 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.86	114	273407	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.07	117	277972	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.47	152	125080	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	92347	46.46	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	92.92%
7) Chloroethane-d5	1.67	69	83669	49.06	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	98.12%
11) 1,1-Dichloroethene-d2	2.26	63	128503	35.62	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	71.24%
21) 2-Butanone-d5	4.15	46	152548	115.86	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	115.86%
24) Chloroform-d	4.62	84	170154	51.07	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.14%
26) 1,2-Dichloroethane-d4	5.29	65	114784	54.40	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	108.80%
32) Benzene-d6	5.32	84	345904	50.20	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.40%
36) 1,2-Dichloropropane-d6	6.31	67	115122	53.29	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	106.58%
41) Toluene-d8	7.55	98	305354	47.29	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.58%
43) trans-1,3-Dichloropropene-	7.83	79	51971	48.50	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	97.00%
47) 2-Hexanone-d5	8.29	63	108394	105.69	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	105.69%
57) 1,1,2,2-Tetrachloroethane-	10.41	84	173552	52.11	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	104.22%
64) 1,2-Dichlorobenzene-d4	11.85	152	122038	53.28	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	106.56%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU080119\
Data File : VU033554.D
Acq On : 01 Aug 2019 17:07
Operator : JC/SP
Sample : K4116-22
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK02

Quant Time: Aug 02 03:51:32 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM073119WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Aug 02 02:28:15 2019
Response via : Initial Calibration

