

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU080218\
 Data File : VU025800.D
 Acq On : 02 Aug 2018 18:27
 Operator : MD/SY
 Sample : J4265-01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AA9

Quant Time: Aug 03 05:47:57 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM072018WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Aug 03 05:43:06 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	313900	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	299103	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	149615	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	81576	45.52	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	91.04%
7) Chloroethane-d5	1.68	69	64253	43.47	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	86.94%
11) 1,1-Dichloroethene-d2	2.27	63	124274	33.31	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	66.62%
21) 2-Butanone-d5	4.18	46	141058	101.96	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	101.96%
24) Chloroform-d	4.65	84	173902	43.57	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.14%
26) 1,2-Dichloroethane-d4	5.31	65	121385	45.98	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.96%
32) Benzene-d6	5.35	84	340530	44.39	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.78%
36) 1,2-Dichloropropane-d6	6.34	67	110089	44.54	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	89.08%
41) Toluene-d8	7.57	98	324259	44.08	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	88.16%
43) trans-1,3-Dichloropropene-	7.85	79	56013	44.36	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	88.72%
47) 2-Hexanone-d5	8.31	63	103911	100.40	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	100.40%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	151318	43.77	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	87.54%
64) 1,2-Dichlorobenzene-d4	11.86	152	135221	44.59	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	89.18%


Target Compounds					Ovalue
13) Acetone	2.32	43	4598	2.83 ug/L	98
37) 1,2-Dichloropropane	6.34	63	12401	5.28 ug/L #	88


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU080218\
Data File : VU025800.D
Acq On : 02 Aug 2018 18:27
Operator : MD/SY
Sample : J4265-01
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AA9

Quant Time: Aug 03 05:47:57 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM072018WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Aug 03 05:43:06 2018
Response via : Initial Calibration





#13

Acetone

Concen: 2.83 ug/L

RT: 2.32 min Scan# 539

Delta R.T. 0.00 min

Lab File: VU025800.D

Acq: 02 Aug 2018 18:27

Instrument :

MSVOA_U

ClientSampleId :


C0AA9

Tot Ion: 43 Resp: 4598

Ion Ratio Lower Upper




43 100

58 29.3 0.0 61.2



Abundance Ion 43.00 (42.70 to 43.70): VU025796.D (-518) (-)

Ion 58.00 (57.70 to 58.70): VU025796.D (-518) (-)



#37

1,2-Dichloropropane

Concen: 5.28 ug/L

RT: 6.34 min Scan# 1787

Delta R.T. -0.10 min

Lab File: VU025800.D


Acq: 02 Aug 2018 18:27

Tgt Ion: 63 Resp: 12401

Ion Ratio Lower Upper

63 100

112 0.0 3.3 4.9#



Abundance Ion 63.00 (62.70 to 63.70): VU025796.D (-1803) (-)

Ion 112.00 (111.70 to 112.70): VU025796.D (-1803) (-)

